

PRODUCT CATALOG

2026

A P E A K - G R A D E L I G H T I N G S E L E C T I O N

571 MODELS · 8 COLLECTIONS

CONTENTS

01	FIXTURE CATALOG	235 PRODUCTS	Volume 01 · 2026 · UL/ETL	Ceiling Fixtures (44) Wall Lamps (111)	Pendants & Chandeliers (60) Outdoor Fixtures (20)
02	GL LIGHTING — FIXTURES	51 PRODUCTS	Spec 2022 · 2022 · ETL / cETL / DLC	Outdoor Fixtures (16) Ceiling & High Bay (30)	Wall Fixtures (3) Recessed Downlights (2)
03	GL LIGHTING — RECESSED SLIM	47 PRODUCTS	Catalog 2022 · 2022 · ETL / cETL / JA8 / Energy Star	Slim Round Recessed (15) Slim Square Recessed (11)	COB Recessed Downlights (19) LED Panels (2)
04	GL LIGHTING — COMMERCIAL DOWNLIGHTS	77 PRODUCTS	Darklight & Master Series · 2022 · ETL / 5 Year Warranty	Darklight Anti-Glare Recessed (21) Commercial Recessed (39)	Pendant & Surface (17)
05	GL LIGHTING — ALUMINUM PROFILES	38 PRODUCTS	PXG Series · 2022 · AL6063-T5 · Max 3M length · Customizable	Recessed Profiles (13) Surface Mount Profiles (9)	Pendant & Large Profiles (7) Skirting & Floor Profiles (9)
06	GL LIGHTING — SLIM & COB DOWNLIGHTS	62 PRODUCTS	2022 · 2022 · ETL / cETL / JA8 / Energy Star	Slim Step Recessed (9) PAR Recessed (4)	COB Round Recessed (14) COB Directional Downlights (8)
07	GL LIGHTING — GARDEN & STREET	17 PRODUCTS	2022 · 2022 · CE / IP65	LED Garden Post Lights (7) LED Street Lights (2)	Lawn Bollard Lights (8)
08	KDS / RDS — LINEAR & COMMERCIAL	44 PRODUCTS	2022 · 2022 · ETL / cETL / DLC / FCC	LED Strip Fixtures (9) LED Linear Fixtures (5)	LED Pendant Lights (4) Round LED Lights (1)

FIXTURE CATALOG

FIXTURE CATALOG

01
235 MODELS

CATEGORIES

CEILING FIXTURES	44 models
WALL LAMPS	111 models
PENDANTS & CHANDELIERS	60 models
OUTDOOR FIXTURES	20 models

SPECIFICATIONS

FINISHES	BN · BZ · WH
COLOR TEMP	2700–5500K
CERTIFICATION	UL/ETL
SUPPLIER	Standard fixture series

FIXTURE CATALOG

CEILING FIXTURES



44 MODELS

YX-82

Flush and semi-flush ceiling lighting for residential and commercial interiors.

SPECIFICATIONS

FINISHES	BN · BZ · WH
COLOR TEMP	2700~5500K
CERTIFICATION	UL/ETL

			
YX-82101 SHADE Alabaster Glass DIM 11 × 5.5 LAMP 1×13W E26 LED 10W	YX-82102 SHADE Frosted Glass DIM 11 × 5.5 LAMP 1×13W E26 LED 10W	YX-82103 SHADE Alabaster Glass DIM 11 × 6.1 LAMP 1×13W E26 LED 10W	YX-82104 SHADE Alabaster Glass DIM 13 × 5.5 LAMP 2×13W E26 LED 10W
			
YX-82105 SHADE Alabaster Glass DIM 15.4 × 5.1 LAMP 2×13W E26 LED 15W	YX-82106 SHADE White Acrylic DIM 11.8 × 1.57 LAMP — LED AC 30W	YX-82107 SHADE Frosted White Glass DIM 13.2 × 6.3 LAMP 2×13W E26 LED 15W	YX-82108 SHADE Frosted White Glass DIM 11 × 5.51 LAMP 1×13W E26 LED 10W

			
YX-82109 SHADE White Glass DIM — LAMP — LED —	YX-82110 SHADE White Fabric DIM 15.75 × 2.56 LAMP 2×13W E26 LED 15W	YX-82111 SHADE White Glass DIM 13 × 5.51 LAMP 2×13W E26 LED 10W	YX-82112 SHADE Frosted White Glass DIM 12.2 × 3.74 LAMP 2×13W E26 LED 10W
			
YX-82113 SHADE White Acrylic DIM 20.27 × 4.13 LAMP 3×13W E26 LED 20W/25W	YX-82114 SHADE White Acrylic DIM 14.37 × 3.54 LAMP 2×13W E26 LED 15W/20W	YX-82115 SHADE White Acrylic DIM 16.14 × 4.53 LAMP 2×13W E26 LED 20W/25W	YX-82116 SHADE White Acrylic DIM 16.54 × 5.31 LAMP 2×13W E26 LED 20W/25W

			
YX-82117 SHADE White Fabric DIM 10 × 2.95 LAMP 1×13W E26 LED 10W	YX-82118 SHADE White Acrylic DIM 15.35 × 3.54 LAMP 2×13W E26 LED 15W/20W	YX-82119 SHADE Frosted Glass DIM 11.81 × 3.54 LAMP 2×13W E26 LED 10W	YX-82120 SHADE Frosted White Glass DIM 20.9 × 5.9 LAMP 4×13W E26 LED 20W/25W
			
YX-82121 SHADE Frosted Glass DIM 4.72 × 4.72 LAMP 1×13W E26 LED 6W	YX-82122 SHADE White Glass DIM 11.81 × 3.74 LAMP 2×13W E26 LED 10W	YX-82123 SHADE Frosted White Glass DIM — LAMP — LED —	YX-82124 SHADE Frosted White Glass DIM 12.2 × 4.53 LAMP 2×13W E26 LED 10W

			
YX-82125 SHADE White Glass DIM 13.39 × 5.12 LAMP 2×13W E26 LED 15W	YX-82126 SHADE White Glass DIM 15.16 × 4.72 LAMP 3×13W E26 LED 15W	YX-82127 SHADE White Glass DIM — LAMP — LED —	YX-82128 SHADE Frosted White Glass DIM 12.6 × 4.72 LAMP 2×13W E26 LED 10W
			
YX-82129 SHADE Crème Fabric DIM 14.96 × 5.51 LAMP 3×13W E26 LED 15W	YX-82130 SHADE Frosted White Glass DIM 18.11 × 8.66 LAMP 3×13W E26 LED 20W/25W	YX-82131 SHADE White Acrylic DIM 11.81 × 11.81 × 3.15 LAMP 2×13W E26 LED 10W	YX-82132 SHADE White Glass DIM 20.28 × 5.19 LAMP 4×13W E26 LED 20W

			
YX-82133 SHADE Frosted White Glass DIM 14 × 3.94 LAMP 2×13W E26 LED 15W	YX-82134 SHADE White Glass DIM 14.57 × 3.54 LAMP 2×13W E26 LED 15W	YX-82135 SHADE White Glass DIM 10.43 × 3.35 LAMP 1×13W E26 LED 10W	YX-82136 SHADE White Acrylic DIM 19.49 × 4.33 LAMP 4×13W E26 LED 20W
			
YX-82137 SHADE Frosted White Glass DIM — LAMP — LED —	YX-82138 SHADE White Acrylic DIM 13.58 × 4.72 LAMP — LED AC 15W	YX-82139 SHADE White Acrylic DIM 13.58 × 4.72 LAMP — LED AC 15W	YX-82140 SHADE White Fabric DIM 14.96 × 7.68 LAMP 3×13W E26 LED 15W



YX-82141
SHADE Frosted White Glass
DIM 12.99 × 4.72
LAMP 2×13W E26
LED 10W



YX-82142
SHADE Clear Glass
DIM 6.5 × 7.87
LAMP 1×13W E26
LED 6W



YX-82143
SHADE Clear Glass
DIM 11.81 × 9.06
LAMP 1×13W E26
LED 10W



YX-82144
SHADE Clear Glass
DIM 11.81 × 9.06
LAMP 1×13W E26
LED 10W

FIXTURE CATALOG

WALL LAMPS

02




111 MODELS

YX-32

Linear, vanity, bathroom and decorative wall sconces. 1 to 6 light points.

SPECIFICATIONS

FINISHES	BN · BZ · WH
COLOR TEMP	2700~5500K
CERTIFICATION	UL/ETL

			
YX-32101 SHADE White Acrylic DIM 37.6 × 4.72 × 4.13 LAMP 2×T5×21W LED 35W	YX-32102 SHADE White Acrylic DIM 24.02 × 4.33 × 2.56 LAMP 2×T5×14W LED 20W	YX-32103 SHADE White Acrylic DIM 24.41 × 5.51 × 4.13 LAMP 2×T8×17W LED 20W	YX-32104 SHADE White Acrylic DIM 35.83 × 4.33 × 2.95 LAMP 2×T5×21W LED 30W
			
YX-32105 SHADE White Acrylic DIM 37.6 × 4.72 × 4.13 LAMP — LED 30W	YX-32106 SHADE White Acrylic DIM 51.38 × 9.06 × 3.74 LAMP 2×T5×28W LED 50W	YX-32107 SHADE White Glass DIM 48.62 × 4.53 × 4.72 LAMP 2×T8×28W LED 45W	YX-32108 SHADE White Acrylic DIM 26.57 × 6.5 × 3.74 LAMP 2×T5×14W LED 20W

			
YX-32109 SHADE White Acrylic DIM — LAMP — LED 15W	YX-32110 SHADE White Acrylic DIM 25.71 × 5.39 × 3.94 LAMP 2×GU24×13W LED 20W	YX-32111 SHADE White Acrylic DIM 18.11 × 4.33 × 4.72 LAMP 2×GU24×13W LED 15W	YX-32112 SHADE White Acrylic DIM 23.23 × 4.33 × 2.76 LAMP 2×T5×14W LED 20W
			
YX-32113 SHADE White Acrylic DIM 14.96 × 3.94 × 3.54 LAMP — LED 15W	YX-32114 SHADE Striped Glass DIM 24.02 × 4.53 × 3.35 LAMP 2×T8×17W LED 20W	YX-32115 SHADE White Acrylic DIM 19.88 × 3.94 × 3.54 LAMP 2×GU24×13W LED 15W	YX-32116 SHADE White Glass DIM 5.12 × 20.08 × 4.33 LAMP 2×60W E26 LED 12W



YX-32117
SHADE Crystal Glass
DIM 4.33 × 18.11 × 3.54
LAMP —
LED 10W



YX-32118
SHADE White Acrylic
DIM 5.12 × 15.35 × 3.94
LAMP 1×60W E26
LED 6W



YX-32119
SHADE White Glass
DIM 5.53 × 11.81 × 3.94
LAMP 1×60W E26
LED 6W



YX-32120
SHADE White Glass
DIM 4.61 × 13.39 × 5.51
LAMP 1×60W E26
LED 6W



YX-32121
SHADE White Fabric
DIM 5.12 × 15.75 × 3.74
LAMP 1×60W E26
LED 10W



YX-32122
SHADE White Fabric
DIM 7.09 × 13.98 × 4.13
LAMP 1×60W E26
LED 10W



YX-32123
SHADE White Fabric
DIM 6.89 × 12 × 4.13
LAMP 1×60W E26
LED 10W



YX-32124
SHADE Metal
DIM 5.31 × 14.17 × 2.36
LAMP —
LED 10W



YX-32125

SHADE Metal
DIM —
LAMP —
LED —



YX-32126

SHADE White Glass
DIM 10.04 × 11.02 × 4.33
LAMP 1×13W E26
LED 10W



YX-32127

SHADE White Glass
DIM 10.83 × 15.94 × 5.31
LAMP 2×60W E26
LED 10W



YX-32128

SHADE White Glass
DIM 7.48 × 18.11 × 4.02
LAMP 2×60W E26
LED 10W



YX-32129

SHADE White Acrylic
DIM 4.76 × 9.84 × 2.96
LAMP 1×13W E26
LED 10W



YX-32130

SHADE White Acrylic
DIM 8.27 × 12 × 3.94
LAMP 1×13W E26
LED 10W



YX-32131

SHADE White Acrylic
DIM 10.04 × 4.96 × 3.94
LAMP 1×13W E26
LED 10W



YX-32132

SHADE White Acrylic
DIM 7.87 × 18.11 × 3.94
LAMP N/A
LED 15W



YX-32133

SHADE White Glass
DIM 9.45 × 4.33
LAMP 1×60W E26
LED 6W



YX-32134

SHADE Clear Glass
DIM 7.87 × 11.42 × 11.42
LAMP 1×60W E26
LED 6W



YX-32135

SHADE Clear Seedy Glass
DIM 6.69 × 11.81 × 7.87
LAMP 1×60W E26
LED 6W



YX-32136

SHADE Frosted Glass
DIM 11.89 × 13.98 × 3.94
LAMP 1×60W E26
LED 10W



YX-32137

SHADE N/A
DIM —
LAMP —
LED —



YX-32138

SHADE White Glass
DIM —
LAMP —
LED —



YX-32139

SHADE N/A
DIM —
LAMP —
LED —



YX-32140

SHADE Clear Glass
DIM —
LAMP —
LED —



YX-32141
SHADE Metal
DIM 4.72 × 19.96 × 3.94
LAMP 1×60W E26
LED 10W



YX-32142
SHADE Opal Glass
DIM 4.53 × 13.39 × 4.13
LAMP 1×60W E26
LED 6W



YX-32143
SHADE White Glass
DIM —
LAMP —
LED —



YX-32144
SHADE White Glass
DIM 4.72 × 21.06 × 6.69
LAMP 2×60W E26
LED 10W



YX-32145
SHADE White Glass
DIM —
LAMP —
LED —



YX-32146
SHADE Frosted Glass
DIM 6.3 × 3.54
LAMP 1×60W E26
LED 6W



YX-32147
SHADE Clear & Frosted Acrylic
DIM 5.51 × 6.5 × 5.91
LAMP N/A
LED AC 2×5W



YX-32148
SHADE Opal Glass
DIM 5.12 × 5.91 × 5.91
LAMP 1×60W E26
LED 6W



YX-32149

SHADE Froster Glass
DIM 4.72 × 4.92 × 6.1
LAMP 1×60W E26
LED 6W



YX-32150

SHADE Metal
DIM 10.04 × 4.53 × 3.74
LAMP 1×60W E26
LED 15W



YX-32151

SHADE Metal
DIM 7.28 × 5.31 × 3.94
LAMP 1×60W E26
LED 10W



YX-32152

SHADE Metal/Froster Glass
DIM 14.96 × 4.84 × 3.94
LAMP 1×60W E26
LED 15W



YX-32153

SHADE Metal
DIM 6.02 × 12 × 1.97
LAMP N/A
LED 15W



YX-32154

SHADE Smoky Glass
DIM 4.33 × 4.92 × 4.13
LAMP N/A
LED AC 2×5W



YX-32155

SHADE Bubble Glass
DIM 7.09 × 14.57 × 5.91
LAMP 1×60W E26
LED 6W



YX-32156

SHADE Metal
DIM 5.98 × 14.49 × 3.15
LAMP N/A
LED AC 2×15W



YX-32157
SHADE Bubble Glass
DIM 5.91 × 12.2 × 4.53
LAMP N/A
LED 10W



YX-32158
SHADE Crystal Glass
DIM 4.72 × 13.98 × 3.94
LAMP N/A
LED 6W



YX-32159
SHADE White Acrylic
DIM 5.97 × 4.33 × 3.54
LAMP 1×60W E26
LED 10W



YX-32160
SHADE White Glass
DIM 7.13 × 9.25 × 3.94
LAMP 1×60W E26
LED 10W



YX-32161
SHADE Metal
DIM 5.91 × 9.06 × 3.94
LAMP 2×60W E26
LED 10W



YX-32162
SHADE Metal
DIM 7.68 × 17.32 × 3.35
LAMP 2×60W E26
LED 15W



YX-32163
SHADE White Glass
DIM 6.1 × 8.46 × 7.87
LAMP 1×60W E26
LED 5W



YX-32164
SHADE White Glass
DIM 6.1 × 8.46 × 7.87
LAMP 1×60W E26
LED 5W



YX-32165
SHADE White Glass
DIM 14.96 × 8.46 × 7.87
LAMP 2×60W E26
LED 10W



YX-32166
SHADE White Glass
DIM 24.02 × 8.46 × 7.87
LAMP 3×60W E26
LED 15W



YX-32167
SHADE White Glass
DIM 36.61 × 8.46 × 7.87
LAMP 4×60W E26
LED 20W



YX-32168
SHADE Clear Glass
DIM 7.09 × 9.45 × 5.5
LAMP 1×60W E26
LED 5W



YX-32169
SHADE Clear Glass
DIM 16.14 × 7.09 × 6.69
LAMP 2×60W E26
LED 10W



YX-32170
SHADE Clear Glass
DIM 25.2 × 7.09 × 6.69
LAMP 3×60W E26
LED 15W



YX-32171
SHADE Clear Glass
DIM 34.25 × 7.09 × 6.69
LAMP 4×60W E26
LED 20W



YX-32172
SHADE Metal
DIM 24.02 × 14.17 × 13.39
LAMP 2×60W E26
LED 10W



YX-32173
SHADE White Glass
DIM 11.81 × 8.27 × 6.3
LAMP 2×60W E26
LED 10W



YX-32174
SHADE White Glass
DIM 12.4 × 7.87 × 6.1
LAMP 2×60W E26
LED 10W



YX-32175
SHADE Bubble Glass
DIM 24.02 × 9.45 × 7.87
LAMP 3×60W E26
LED 15W



YX-32176
SHADE Clear Glass
DIM 21.26 × 8.86 × 5.59
LAMP 3×60W E26
LED 15W



YX-32177
SHADE Clear Glass
DIM 30.51 × 9.06 × 8.5
LAMP 4×60W E26
LED 20W



YX-32178
SHADE Clear Glass
DIM 29.92 × 11.42 × 9.45
LAMP 4×60W E26
LED 20W



YX-32179
SHADE Metal
DIM 27.17 × 7.87 × 6.69
LAMP 3×50W GU10
LED 15W



YX-32180
SHADE Metal
DIM 25 × 6.5 × 6.69
LAMP 3×50W GU10
LED 15W

			
YX-32181 SHADE Frosted Glass DIM 23.23 × 6.3 × 7.09 LAMP 3×50W GU10 LED 15W	YX-32182 SHADE Metal DIM 36.42 × 7.87 × 6.89 LAMP 4×50W GU10 LED 20W	YX-32183 SHADE Metal DIM 32.28 × 5.12 × 7.09 LAMP 4×50W GU10 LED 20W	YX-32184 SHADE White Glass DIM 35.43 × 9.84 × 8.66 LAMP 4×50W GU10 LED 20W
			
YX-32185 SHADE Metal DIM 24.02 × 5.91 × 6.3 LAMP 4×50W GU10 LED 20W	YX-32186 SHADE Metal DIM 32.28 × 11.02 × 5.91 LAMP 4×50W GU10 LED 20W	YX-32187 SHADE White Glass DIM 36.22 × 9.45 × 12.2 LAMP 4×50W GU10 LED 20W	YX-32188 SHADE White Glass DIM 31.89 × 7.87 × 6.3 LAMP 4×50W GU10 LED 20W

			
YX-32189 SHADE Alabaster Glass DIM 35.83 × 8.27 × 8.27 LAMP 6×60W E26 LED 30W	YX-32190 SHADE White Glass DIM 20.47 × 8.27 × 4.72 LAMP 3×60W E26 LED 15W	YX-32191 SHADE White Glass DIM 22.05 × 7.68 × 5.51 LAMP 3×60W E26 LED 15W	YX-32192 SHADE White Glass DIM 21.85 × 7.68 × 5.91 LAMP 3×60W E26 LED 15W
			
YX-32193 SHADE White Glass DIM 18.5 × 8.27 × 5.51 LAMP 3×60W E26 LED 15W	YX-32194 SHADE White Glass DIM 22.05 × 9.45 × 10.04 LAMP 3×60W E26 LED 15W	YX-32195 SHADE Clear & White Glass DIM 21.26 × 7.68 × 5.51 LAMP 3×60W E26 LED 15W	YX-32196 SHADE White Glass DIM 23.43 × 8.27 × 5.51 LAMP 3×60W E26 LED 15W

			
YX-32197 SHADE White Glass DIM 22.83 × 8.46 × 6.89 LAMP 3×60W E26 LED 15W	YX-32198 SHADE White Glass DIM 31.5 × 7.87 × 7.48 LAMP 4×60W E26 LED 20W	YX-32199 SHADE Frosted Glass DIM 18.5 × 10.24 × 7.87 LAMP 3×60W E26 LED 15W	YX-32200 SHADE White Glass DIM 27.36 × 7.48 × 5.91 LAMP 3×60W E26 LED 15W
			
YX-32201 SHADE White Glass DIM 18.31 × 8.66 × 4.33 LAMP 3×60W E26 LED 15W	YX-32202 SHADE White Glass DIM 22.24 × 6.3 × 4.92 LAMP 3×60W E26 LED 15W	YX-32203 SHADE Clear & Frosted Glass DIM 19.09 × 6.3 × 5.12 LAMP 3×60W E26 LED 15W	YX-32204 SHADE Clear & White Glass DIM 21.06 × 7.68 × 5.12 LAMP 3×60W E26 LED 15W

			
YX-32205 SHADE White Glass DIM 24.02 × 9.06 × 7.48 LAMP 3×60W E26 LED 15W	YX-32206 SHADE Bubble Glass DIM 21.65 × 9.06 × 6.3 LAMP 3×60W E26 LED 15W	YX-32207 SHADE White Glass DIM 28.74 × 9.25 × 5.91 LAMP 4×60W E26 LED 20W	YX-32208 SHADE White Glass DIM 31.5 × 7.87 × 5.31 LAMP 4×60W E26 LED 20W
			
YX-32209 SHADE Clear & White Glass DIM 32.28 × 8.86 × 6.3 LAMP 4×60W E26 LED 20W	YX-32210 SHADE White Acrylic DIM 24.02 × 6.3 × 5.12 LAMP 4×13W E26 LED 20W	YX-32211 SHADE White Acrylic DIM 38.19 × 6.3 × 4.33 LAMP 5×13W E26 LED 25W	

FIXTURE CATALOG

PENDANTS & CHANDELIERS

60 MODELS

YX-52




Suspended luminaires, single pendants and multi-light chandeliers.

SPECIFICATIONS

FINISHES	BN · BZ · WH
COLOR TEMP	2700~5500K
CERTIFICATION	UL/ETL

			
YX-52101 SHADE Clear Glass DIM 7.09 × 7.28 LAMP 1×60W E26 LED 6W	YX-52102 SHADE Frosted Glass DIM 7.48 × 6.69 LAMP 1×60W E26 LED 6W	YX-52103 SHADE Metal DIM 8.66 × 9.06 LAMP 1×60W E26 LED 6W	YX-52104 SHADE Metal & White Glass DIM 9.06 × 8.27 LAMP 1×60W E26 LED 6W
			
YX-52105 SHADE Clear Glass DIM 4.72 × 18.11 LAMP 1×60W E26 LED 6W	YX-52106 SHADE Clear Glass DIM 5.04 × 10.43 LAMP 1×60W E26 LED 6W	YX-52107 SHADE Clear Glass DIM 4.43 × 5.5 LAMP 1×60W E26 LED 6W	YX-52108 SHADE White Glass DIM 5.31 × 12 LAMP 1×60W E26 LED 6W

			
YX-52109 SHADE Metal DIM 7.09 × 7.09 LAMP 1×60W E26 LED 6W	YX-52110 SHADE Clear & White Glass DIM 5.91 × 6.69 LAMP 1×60W E26 LED 6W	YX-52111 SHADE Clear & White Glass DIM 5.12 × 7.48 LAMP 1×60W E26 LED 6W	YX-52112 SHADE Frosted Glass DIM 7.28 × 5.91 LAMP 1×60W E26 LED 6W
			
YX-52113 SHADE White Glass DIM 4.72 × 5.91 LAMP 1×60W E26 LED 6W	YX-52114 SHADE Fabric Glass DIM 3.94 × 7.48 LAMP 1×60W E26 LED 6W	YX-52115 SHADE Clear & White Glass DIM 5.12 × 9.45 LAMP 1×60W E26 LED 6W	YX-52116 SHADE Clear Glass DIM — LAMP 1×60W E26 LED 6W

			
YX-52117 SHADE Clear Hammered Glass DIM 7.87 × 11.02 LAMP 1×60W E26 LED 6W	YX-52118 SHADE Metal DIM 10.67 × 5.91 LAMP 1×60W E26 LED 6W	YX-52119 SHADE Clear Glass DIM 5.12 × 12.2 LAMP 1×60W E26 LED 6W	YX-52120 SHADE Clear Glass DIM 4.72 × 10.63 LAMP 1×60W E26 LED 6W
			
YX-52121 SHADE Metal DIM 8.66 × 8.66 LAMP 1×60W E26 LED 6W	YX-52122 SHADE Metal DIM 2.75 × 6.3 LAMP 1×60W E26 LED 6W	YX-52123 SHADE Metal DIM 11.81 × 11.02 LAMP 1×60W E26 LED 6W	YX-52124 SHADE Metal DIM 14.37 × 7.28 LAMP 1×60W E26 LED 6W

			
YX-52125 SHADE Metal DIM — LAMP — LED 6W	YX-52126 SHADE Metal DIM 13.98 × 17.32 LAMP — LED AC 14W	YX-52127 SHADE Metal DIM 8.07 × 3.94 LAMP 1×60W E26 LED 6W	YX-52128 SHADE Metal DIM 12.8 × 11.81 LAMP 1×60W E26 LED 10W
			
YX-52129 SHADE White Fabric DIM 18.11 × 8.46 LAMP 1×60W E26 LED 15W	YX-52130 SHADE Metal DIM 15.75 × 14.57 LAMP 1×60W E26 LED 10W	YX-52131 SHADE White Acrylic DIM 10.24 × 11.02 LAMP 1×60W E26 LED 10W	YX-52132 SHADE F.White Glass DIM 11.5 × 17 LAMP 1×60W E26 LED 6W



YX-52133

SHADE Crème Fabric
DIM 16.14 × 5.24
LAMP 3×13W E26
LED 15W



YX-52134

SHADE Clear Glass
DIM 5.91 × 10.24
LAMP 1×60W E26
LED 6W



YX-52135

SHADE Metal
DIM 8.66 × 7.48
LAMP 1×60W E26
LED 6W



YX-52136

SHADE Clear & White Glass
DIM 8.27 × 9.84
LAMP 1×60W E26
LED 6W



YX-52137

SHADE Clear Hammered Glass
DIM 7.09 × 11.42
LAMP 1×60W E26
LED 6W



YX-52138

SHADE Clear & Crystal Glass
DIM 4.72 × 12.6
LAMP 1×60W E26
LED 6W



YX-52139

SHADE Clear & White Glass
DIM 5.51 × 8.07
LAMP 1×60W E26
LED 6W



YX-52140

SHADE White Glass
DIM 4.72 × 20.08
LAMP 1×60W E26
LED 6W

			
YX-52141 SHADE White Glass DIM 5.12 × 8.27 LAMP 1×60W E26 LED 6W	YX-52142 SHADE Metal DIM 9.84 × 10.63 LAMP 1×60W E26 LED 6W	YX-52143 SHADE Fabric Glass DIM 5.12 × 7.48 LAMP 1×60W E26 LED 6W	YX-52144 SHADE White Glass DIM 3.82 × 15.75 LAMP 1×60W E26 LED 6W
			
YX-52145 SHADE Clear & White Glass DIM 6.3 × 7.09 LAMP 1×60W E26 LED 6W	YX-52146 SHADE Clear & White Glass DIM — LAMP 1×60W E26 LED 6W	YX-52147 SHADE Clear & Frosted Glass DIM 9.06 × 0.98 + OAH 29.92 LAMP 3×60W E26 LED 6W×3	YX-52148 SHADE Frosted White Glass DIM 15.75 × 1.57 LAMP 3×13W E26 LED 15W



YX-52149
SHADE Frosted Linen Glass
DIM 15 × 13
LAMP 1×60W E26
LED 20W



YX-52150
SHADE White Fabric
DIM 18.5 × 13.78
LAMP 4×13W E26
LED 20W



YX-52151
SHADE White Fabric
DIM 17.13 × 15.35
LAMP 3×60W E26
LED 15W



YX-52152
SHADE White Fabric
DIM 16.93 × 10.63
LAMP 3×13W E26
LED 15W



YX-52153
SHADE Alabaster Glass
DIM 15.94 × 13.78
LAMP 3×60W E26
LED 15W



YX-52154
SHADE White Glass
DIM 12 × 22.05
LAMP 1×60W E26
LED 15W



YX-52155
SHADE White Glass
DIM 12 × 22.05
LAMP 1×60W E26
LED 15W



YX-52156
SHADE Clear & Frosted Glass
DIM —
LAMP —
LED —



YX-52157

SHADE Metal
DIM —
LAMP —
LED —



YX-52158

SHADE White Glass
DIM 14 × 18.38 + OAH 56.63
LAMP 1×60W E26
LED 15W



YX-52159

SHADE Metal & Frosted Glass
DIM —
LAMP —
LED —




YX-52160

SHADE Clear Glass
DIM —
LAMP —
LED —

FIXTURE CATALOG

OUTDOOR FIXTURES



YX-12

Exterior wall sconces for facades, entryways and patios.

SPECIFICATIONS

FINISHES	BN · BZ · WH
COLOR TEMP	2700~5500K
CERTIFICATION	UL/ETL

			
YX-12101 SHADE White Glass DIM 5.91 × 7.68 × 6.69 LAMP 1×60W E26 LED 6W	YX-12102 SHADE Clear Seedy Glass DIM 5.28 × 11.02 × 8.27 LAMP 1×60W E26 LED 6W	YX-12103 SHADE Frosted Glass DIM 7.09 × 12.6 × 7.87 LAMP 1×60W E26 LED 6W	YX-12104 SHADE Frosted White Glass DIM 4.72 × 13.39 × 6.3 LAMP 1×60W E26 LED 6W
			
YX-12105 SHADE Clear Glass DIM 4.92 × 13.19 × 6.81 LAMP 1×60W E26 LED 6W	YX-12106 SHADE Clear Glass DIM 5.51 × 12.6 × 7.48 LAMP 1×60W E26 LED 6W	YX-12107 SHADE Clear Glass DIM 6.69 × 18.5 × 8.46 LAMP 1×60W E26 LED 6W	YX-12108 SHADE Frosted Glass DIM 4.52 × 9.84 × 6.3 LAMP 1×60W E26 LED 6W



YX-12109
SHADE Clear Glass
DIM 5.98 × 12.99 × 5.31
LAMP 1×60W E26
LED 6W



YX-12110
SHADE Clear Glass
DIM 6.5 × 13.78 × 8.27
LAMP 1×60W E26
LED 6W



YX-12111
SHADE Clear Glass
DIM 4.92 × 12.6 × 8.27
LAMP 1×60W E26
LED 6W



YX-12112
SHADE Clear Seedy Glass
DIM 6.1 × 16.14 × 7.09
LAMP 1×60W E26
LED 6W



YX-12113
SHADE Clear Glass
DIM 8.46 × 15.75 × 9.65
LAMP 1×60W E26
LED 6W



YX-12114
SHADE Metal
DIM 10 × 12.2 × 14.3
LAMP 1×60W E26
LED 6W



YX-12115
SHADE Metal
DIM 18.11 × 17.32 × 24.6
LAMP 1×60W E26
LED 6W



YX-12116
SHADE Metal
DIM 10.24 × 8.46 × 16.18
LAMP 1×60W E26
LED 6W

			
YX-12117 SHADE Metal DIM 7.87 × 7.09 × 9.25 LAMP 1×60W E26 LED 6W	YX-12118 SHADE Metal DIM 8.07 × 10.63 × 9.45 LAMP 1×60W E26 LED 6W	YX-12119 SHADE Metal DIM 8.07 × 8.46 × 10.63 LAMP 1×60W E26 LED 6W	YX-12120 SHADE Metal DIM 9.06 × 11.81 × 14.17 LAMP 1×60W E26 LED 6W

GL LIGHTING — FIXTURES

GL LIGHTING FIXTURES

51 MODELS

CATEGORIES

OUTDOOR FIXTURES	16 models
CEILING & HIGH BAY	30 models
WALL FIXTURES	3 models
RECESSED DOWNLIGHTS	2 models

SPECIFICATIONS

FINISHES	Dark Bronze · White · Black · Golden
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca · 905-604-1000

GL LIGHTING — FIXTURES

OUTDOOR FIXTURES



16 MODELS

GL-FLD

High-power LED floodlights and area lights. Die-cast aluminum, IP65/66.

SPECIFICATIONS

FINISHES	Dark Bronze · White · Black · Golden
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC



GL-WPR-40WH

SHADE Die Cast Aluminum + PC
DIM —
LAMP LED 40W
LED 40W · 120lm/W · IP65 · 120-347V




GL-WPR-60WH

SHADE Die Cast Aluminum + PC
DIM —
LAMP LED 60W
LED 60W · 120lm/W · IP65 · 120-347V




GL-WP-80WCH-MC

SHADE Die Cast Aluminum + PC · Cut-off
DIM —
LAMP LED 80W
LED 80W · 120lm/W · IP65 · 120-347V




GL-FL225-50W

SHADE Die Cast Aluminum + PC · Mini Area
DIM —
LAMP LED 50W
LED 50W · 6500LM · IP66 · 0-10V dim




GL-PL345-150W

SHADE Aluminum + PC · Shoebox Area Light
DIM —
LAMP LED 150W
LED 150W · 140lm/W · 120-347V




GL-PL345-180W

SHADE Aluminum + PC · Shoebox Area Light
DIM —
LAMP LED 180W
LED 180W · 140lm/W · 120-347V



GL-PL345-200W

SHADE Aluminum + PC · Shoebox Area Light
DIM —
LAMP LED 200W
LED 200W · 140lm/W · 120-347V



GL-PL345-220W

SHADE Aluminum + PC · Shoebox Area Light
DIM —
LAMP LED 220W
LED 220W · 140lm/W · 120-347V

GL LIGHTING — FIXTURES

CEILING & HIGH BAY





30 MODELS

GL-HB


UFO high bay, flush mount, T5 integrated and IP65 ceiling fixtures.

SPECIFICATIONS

FINISHES	Dark Bronze · White · Black · Golden
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC


			
GL-HBD-150W SHADE Die Cast Aluminum + PC · UFO High Ba DIM — LAMP LED 150W LED 150W · 130lm/W · 120-277V	GL-HBD-200W SHADE Die Cast Aluminum + PC · UFO High Ba DIM — LAMP LED 200W LED 200W · 130lm/W · 120-277V	GL-HBDH-150W SHADE Die Cast Aluminum + PC · UFO High Ba DIM — LAMP LED 150W LED 150W · 135lm/W · 120-347V	GL-HBDH-180W SHADE Die Cast Aluminum + PC · UFO High Ba DIM — LAMP LED 180W LED 180W · 135lm/W · 120-347V
			
GL-HBDH-200W SHADE Die Cast Aluminum + PC · UFO High Ba DIM — LAMP LED 200W LED 200W · 135lm/W · 120-347V	GL-PG230-30W SHADE Die Cast Aluminum + PC · Canopy DIM — LAMP LED 30W LED 30W · 135lm/W · 120-347V	GL-PG230-50W SHADE Die Cast Aluminum + PC · Canopy DIM — LAMP LED 50W LED 50W · 135lm/W · 120-347V	GL-CPRH-80W SHADE Die Cast Aluminum + PC · Canopy DIM — LAMP LED 80W LED 80W · 135lm/W · 120-347V

			
GL-FMCI50-9IN SHADE Iron + PC Cover · Flush Mount DIM D9.5 × H2.2 in LAMP LED 16W LED 16W · 1360LM · 3000K · Dimmable	GL-FMCI50-12IN SHADE Iron + PC Cover · Flush Mount DIM D12.6 × H2.2 in LAMP LED 25W LED 25W · 2150LM · 3000K · Dimmable	GL-IP65-18W SHADE ABS + PC Cover · IP65 Ceiling DIM — LAMP LED 18W LED 18W · 80lm/W · IP65	GLT5F1-5W-WF SHADE T5 Integrated Fixture 1ft · Warm DIM 305 mm / 12 in LAMP LED 5W 3000K LED 5W · 450LM · Dimmable
			
GLT5F1-5W-CF SHADE T5 Integrated Fixture 1ft · Cool DIM 305 mm / 12 in LAMP LED 5W 5000K LED 5W · 480LM · Dimmable	GLT5F2-9W-WF SHADE T5 Integrated Fixture 2ft · Warm DIM 603 mm / 23.75 in LAMP LED 9W 3000K LED 9W · 810LM · Dimmable	GLT5F2-9W-CF SHADE T5 Integrated Fixture 2ft · Cool DIM 603 mm / 23.75 in LAMP LED 9W 5000K LED 9W · 850LM · Dimmable	GLT5F3-13W-WF SHADE T5 Integrated Fixture 3ft · Warm DIM 883 mm / 34.75 in LAMP LED 13W 3000K LED 13W · 1180LM · Dimmable




GLT5F3-13W-CF

SHADE T5 Integrated Fixture 3ft · Cool
DIM 883 mm / 34.75 in
LAMP LED 13W 5000K
LED 13W · 1250LM · Dimmable




GLT5F4-18W-WF

SHADE T5 Integrated Fixture 4ft · Warm
DIM 1182 mm / 46.5 in
LAMP LED 18W 3000K
LED 18W · 1650LM · Dimmable




GLT5F4-18W-CF

SHADE T5 Integrated Fixture 4ft · Cool
DIM 1182 mm / 46.5 in
LAMP LED 18W 5000K
LED 18W · 1700LM · Dimmable



GLCLSGP1215

SHADE Glass Flush Mount 12in · BN/ORB
DIM D302.8 × H93.5 mm
LAMP LED 15W
LED 15W · 1150LM · 5CCT · Dimmable



GLCLSGP1220

SHADE Glass Flush Mount 12in · BN/ORB
DIM D302.8 × H93.5 mm
LAMP LED 20W
LED 20W · 1500LM · 5CCT · Dimmable

GLCLSGP1415







SHADE Glass Flush Mount 14in · BN/ORB
DIM D354.8 × H98.5 mm
LAMP LED 15W
LED 15W · 1150LM · 5CCT · Dimmable

GLCLSGP1420

SHADE Glass Flush Mount 14in · BN/ORB
DIM D354.8 × H98.5 mm
LAMP LED 20W
LED 20W · 1500LM · 5CCT · Dimmable

GLCLSGP1425

SHADE Glass Flush Mount 14in · BN/ORB
DIM D354.8 × H98.5 mm
LAMP LED 25W
LED 25W · 1850LM · 5CCT · Dimmable

			
GLCLS24WC-A SHADE PC Cover Flush Mount 14in · Type A DIM ø350 × H95 mm LAMP LED 24W 5000K LED 24W · 1900LM · Dimmable 	GLCLS24WW-A SHADE PC Cover Flush Mount 14in · Type A DIM ø350 × H95 mm LAMP LED 24W 3000K LED 24W · 1900LM · Dimmable 	GLCLS16WC-A SHADE PC Cover Flush Mount 14in · Type A DIM ø350 × H95 mm LAMP LED 16W 5000K LED 16W · 1250LM · Dimmable	GLCLS16WW-A SHADE PC Cover Flush Mount 14in · Type A DIM ø350 × H95 mm LAMP LED 16W 3000K LED 16W · 1250LM · Dimmable
GL-PL3AB-WW SHADE Puck Light Under Cabinet · 3W Warm DIM ø62 mm LAMP LED 3W DC12V 3000K LED 3W · 85lm/W	GL-PL3AB-CW SHADE Puck Light Under Cabinet · 3W Cool DIM ø62 mm LAMP LED 3W DC12V 5000K LED 3W · 85lm/W		

GL LIGHTING — FIXTURES

WALL FIXTURES



3 MODELS

GL-WP

LED wall pack fixtures for exterior building illumination.

SPECIFICATIONS

FINISHES	Dark Bronze · White · Black · Golden
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC

			
GL104-0003-DL SHADE Metal + Acrylic · Down Wall Light IP DIM 4.3 × 7.7 × 4.0 in LAMP LED 9W LED 9W · 750LM · 3000/4000/5000K	GL-BL442BNSD SHADE Metal + Frosted Glass · Brushed Nick DIM W12 × H8 × E6 in LAMP 2×LED E26 12W LED 24W · 3000K · Damp	GL-YX328-G360 SHADE Steel + Glass · Brushed Nickel Vanit DIM — LAMP 2×LED E26 12W LED 24W · 3000K · Damp	

GL LIGHTING — FIXTURES

RECESSED DOWNLIGHTS




COB recessed LED downlights with selectable CCT. Dimmable.

SPECIFICATIONS


FINISHES	Dark Bronze · White · Black · Golden
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC

RECESSED DOWNLIGHTS



GLDL-307W

- SHADE COB · Gimbal 3" Recessed
- DIM D3.5 in · Cut 3 in / 75mm
- LAMP LED 7W COB
- LED 7W · 500LM · Triac dim · IP54



GLDL-412W

- SHADE COB · Gimbal 4" Recessed
- DIM D4.73 in · Cut 4 in / 102mm
- LAMP LED 12W COB
- LED 12W · 950LM · Triac dim · IP54

GL LIGHTING — RECESSED SLIM

GL LIGHTING RECESSED SLIM

47 MODELS

CATEGORIES

SLIM ROUND RECESSED	15 models
SLIM SQUARE RECESSED	11 models
COB RECESSED DOWNLIGHTS	19 models
LED PANELS	2 models

SPECIFICATIONS

FINISHES	BK · SN · NW · BR · CP · BZ
COLOR TEMP	3000K / 4000K / 5000K (3CCT switchable)
CERTIFICATION	ETL / cETL / JA8 / Energy Star
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca

GL LIGHTING — RECESSED SLIM

SLIM ROUND RECESSED

15 MODELS

GL-SFR

Slim round recessed LED, 3"–6". SMD2835, dimmable, ETL/Energy Star.

SPECIFICATIONS

FINISHES	BK · SN · NW · BR · CP
COLOR TEMP	3000K / 4000K / 5000K (3CCT switchable)
CERTIFICATION	ETL / cETL / JA8 / Energy Star

SLIM ROUND RECESSED



GL-SFR-D3
SHADE Aluminum Alloy · Slim Round 3"
DIM Cut Ø75 mm
LAMP SMD2835 6W
LED 6W · 420LM · Dimmable



GL-SFR-D4
SHADE Aluminum Alloy · Slim Round 4"
DIM Cut Ø108 mm
LAMP SMD2835 9W
LED 9W · 630LM · Dimmable



GL-SFR-D41
SHADE Aluminum Alloy · Slim Round 4"L
DIM Cut Ø108 mm
LAMP SMD2835 12W
LED 12W · 830LM · Dimmable



GL-SFR-D5
SHADE Aluminum Alloy · Slim Round 5"
DIM Cut Ø135 mm
LAMP SMD2835 12W
LED 12W · 900LM · Dimmable



GL-SFR-D6
SHADE Aluminum Alloy · Slim Round 6"
DIM Cut Ø157 mm
LAMP SMD2835 15W
LED 15W · 1125LM · Dimmable



GL-SFR-D8
SHADE Aluminum Alloy · Slim Round 8"
DIM Cut Ø187 mm
LAMP SMD2835 18W
LED 18W · 1350LM · Dimmable



GL-SFR-D10
SHADE Aluminum Alloy · Slim Round 10"
DIM Cut Ø225 mm
LAMP SMD2835 20W
LED 20W · 1500LM · Dimmable



GL-SFR-D12
SHADE Aluminum Alloy · Slim Round 12"
DIM Cut Ø282 mm
LAMP SMD2835 24W
LED 24W · 1800LM · Dimmable



LED-H501-3CCT

SHADE Plastic + Aluminum · 5" Step
DIM Ø135 × H13 mm
LAMP SMD2835 6W
LED 6W · 400LM · Dimmable



LED-H601-3CCT

SHADE Plastic + Aluminum · 6" Step
DIM Ø180 × H13 mm
LAMP SMD2835 12W
LED 12W · 720LM · Dimmable



LED-H901-3CCT

SHADE Plastic + Aluminum · 9" Step
DIM Ø225 × H13 mm
LAMP SMD2835 18W
LED 18W · 1080LM · Dimmable



LED-H1201-3CCT

SHADE Plastic + Aluminum · 12" Step
DIM Ø300 × H13 mm
LAMP SMD2835 24W
LED 24W · 1440LM · Dimmable



LED-H420-3CCT

SHADE Aluminum Alloy · 4" Round Step
DIM Cut Ø108 mm
LAMP SMD2835 9/12W
LED 9–12W · 630–840LM · Dimmable



LED-H620-3CCT

SHADE Aluminum Alloy · 6" Round Step
DIM Cut Ø158 mm
LAMP SMD2835 15W
LED 15W · 1125LM · Dimmable



PF-420-3CCT

SHADE Aluminum Alloy · 4" Wet Location
DIM D120 × H24 mm · Cut Ø108 mm
LAMP SMD2835 9/12W
LED 9–12W · 630–840LM · Wet Rated

GL LIGHTING — RECESSED SLIM

SLIM SQUARE RECESSED

11 MODELS


GL-SFS

Slim square recessed LED, 4"–6". SMD2835, dimmable, ETL/Energy Star.


SPECIFICATIONS

FINISHES	BK · SN · NW · BR · CP
COLOR TEMP	3000K / 4000K / 5000K (3CCT switchable)
CERTIFICATION	ETL / cETL / JA8 / Energy Star


SLIM SQUARE RECESSED




GL-SFS-S3
SHADE Aluminum Alloy · Slim Square 3"
DIM Cut 75 × 75 mm
LAMP SMD2835 6W
LED 6W · 420LM · Dimmable




GL-SFS-S4
SHADE Aluminum Alloy · Slim Square 4"
DIM Cut 110 × 110 mm
LAMP SMD2835 9W
LED 9W · 630LM · Dimmable




GL-SFS-S5
SHADE Aluminum Alloy · Slim Square 5"
DIM Cut 135 × 135 mm
LAMP SMD2835 12W
LED 12W · 900LM · Dimmable



GL-SFS-S6
SHADE Aluminum Alloy · Slim Square 6"
DIM Cut 156 × 156 mm
LAMP SMD2835 15W
LED 15W · 1125LM · Dimmable



GL-SFS-S8
SHADE Aluminum Alloy · Slim Square 8"
DIM Cut 185 × 185 mm
LAMP SMD2835 18W
LED 18W · 1350LM · Dimmable



GL-SFS-S12
SHADE Aluminum Alloy · Slim Square 12"
DIM Cut 282 × 282 mm
LAMP SMD2835 24W
LED 24W · 1800LM · Dimmable



LED-H420S-3CCT
SHADE Aluminum Alloy · 4" Square Step
DIM Cut 108 × 108 mm
LAMP SMD2835 9/12W
LED 9–12W · 630–840LM · Dimmable



LED-H620S-3CCT
SHADE Aluminum Alloy · 6" Square Step
DIM Cut 158 × 158 mm
LAMP SMD2835 15W
LED 15W · 1125LM · Dimmable



LED-S40-3CCT

SHADE Aluminum Alloy · 4" Square Narrow Be
DIM Cut 95 × 95 mm
LAMP COB 12W · 18°
LED 12W · 840LM · Dimmable



LED-S50-3CCT

SHADE Aluminum Alloy · 5" Square Narrow Be
DIM Cut 122 × 122 mm
LAMP COB 15W · 22°
LED 15W · 1050LM · Dimmable



LED-S60-3CCT

SHADE Aluminum Alloy · 6" Square Narrow Be
DIM Cut 156 × 156 mm
LAMP COB 18W · 28°
LED 18W · 1260LM · Dimmable

GL LIGHTING — RECESSED SLIM

COB RECESSED DOWNLIGHTS

19 MODELS

LED-

COB recessed LED with selectable CCT 3000/4000/5000K. JA8.

SPECIFICATIONS


FINISHES	BK · SN · NW · BR · CP
COLOR TEMP	3000K / 4000K / 5000K (3CCT switchable)
CERTIFICATION	ETL / cETL / JA8 / Energy Star

COB RECESSED DOWNLIGHTS




LED-460B-PAR16-3CCT

SHADE Iron + Aluminum · PAR16 Gimbal
DIM Cut Ø106 mm
LAMP COB 9W · 35°
LED 9W · 630LM · Dimmable



LED-460B-PAR20-3CCT

SHADE Iron + Aluminum · PAR20 Gimbal
DIM Cut Ø106 mm
LAMP COB 9W · 38°
LED 9W · 630LM · Dimmable



LED-U3580-3CCT

SHADE Aluminum Alloy · 3" COB
DIM Cut Ø95 mm
LAMP COB 9W · 35°
LED 9W · 630LM · Dimmable



LED-4580-3CCT

SHADE Aluminum Alloy · 4" COB
DIM Cut Ø106 mm
LAMP COB 9W · 38°
LED 9W · 650LM · Dimmable



LED-4018-3CCT

SHADE Iron + Aluminum · 4" SMD
DIM Cut Ø108 mm
LAMP SMD2835 9W · 110°
LED 9W · 630LM · Dimmable

LED-6018-3CCT

SHADE Iron + Aluminum · 6" SMD
DIM Cut Ø150 mm
LAMP SMD2835 12W · 110°
LED 12W · 840LM · Dimmable

LED-X3-3CCT

SHADE Aluminum Alloy · X-Series 3" COB
DIM Cut Ø76 mm
LAMP COB 9W · 20°
LED 9W · 560LM · Dimmable

LED-X4-3CCT

SHADE Aluminum Alloy · X-Series 4" COB
DIM Cut Ø102 mm
LAMP COB 12W · 25°
LED 12W · 900LM · Dimmable

COB RECESSED DOWNLIGHTS

 3" 9W  4" 12W  5" 15W  6" 18W	 3" 9W  4" 12W  5" 15W  6" 18W	 3" 9W  4" 12W  5" 15W  6" 18W	 3" 9W  4" 12W  5" 15W  6" 18W
LED-X5-3CCT SHADE Aluminum Alloy · X-Series 5" COB DIM Cut Ø127 mm LAMP COB 15W · 30° LED 15W · 1125LM · Dimmable	LED-X6-3CCT SHADE Aluminum Alloy · X-Series 6" COB DIM Cut Ø143 mm LAMP COB 18W · 35° LED 18W · 1350LM · Dimmable	LED-F31-3CCT SHADE Aluminum Alloy · F-Series 3" Gold Ri DIM Cut Ø75 mm LAMP COB 9W · 20° LED 9W · 630LM · Dimmable	LED-F41-3CCT SHADE Aluminum Alloy · F-Series 4" Gold Ri DIM Cut Ø95 mm LAMP COB 12W · 25° LED 12W · 840LM · Dimmable
 3" 9W  4" 12W  5" 15W  6" 18W	 3" 9W  4" 12W  5" 15W  6" 18W		
LED-F51-3CCT SHADE Aluminum Alloy · F-Series 5" Gold Ri DIM Cut Ø122 mm LAMP COB 15W · 30° LED 15W · 1050LM · Dimmable	LED-F61-3CCT SHADE Aluminum Alloy · F-Series 6" Gold Ri DIM Cut Ø146 mm LAMP COB 18W · 35° LED 18W · 1260LM · Dimmable	LED-D40-3CCT SHADE Aluminum Alloy · 4" Round Narrow Bea DIM Cut Ø96 mm LAMP COB 12W · 18° LED 12W · 840LM · Dimmable	LED-D50-3CCT SHADE Aluminum Alloy · 5" Round Narrow Bea DIM Cut Ø122 mm LAMP COB 15W · 22° LED 15W · 1050LM · Dimmable

COB RECESSED DOWNLIGHTS



LED-D60-3CCT

SHADE Aluminum Alloy · 6" Round Narrow Bea
DIM Cut Ø140 mm
LAMP COB 18W · 28°
LED 18W · 1260LM · Dimmable



LED-NY2

SHADE Aluminum Alloy · Rectangular 24W
DIM Cut 193 × 95 mm
LAMP COB 24W · 18°
LED 24W · 1680LM · Dimmable



LED-NY3

SHADE Aluminum Alloy · Rectangular 36W
DIM Cut 266 × 95 mm
LAMP COB 36W · 18°
LED 36W · 2520LM · Dimmable

GL LIGHTING — RECESSED SLIM

LED PANELS



TH-
LED flat panels for commercial grid ceilings.

SPECIFICATIONS

FINISHES	BK · SN · NW · BR · CP
COLOR TEMP	3000K / 4000K / 5000K (3CCT switchable)
CERTIFICATION	ETL / cETL / JA8 / Energy Star



TH-3030P

SHADE Aluminum · LED Panel 300×300
DIM 300 × 300 mm
LAMP SMD2835 18W
LED 18W · 1400LM · 3CCT



TH-6060P

SHADE Aluminum · LED Panel 600×600
DIM 603 × 603 mm
LAMP SMD2835 40W
LED 40W · 3200LM · 3CCT

GL LIGHTING — COMMERCIAL DOWNLIGHTS

GL LIGHTING COMMERCIAL DOWNLIGHTS

77 MODELS

CATEGORIES

DARKLIGHT ANTI-GLARE RECESSED	21 models
COMMERCIAL RECESSED	39 models
PENDANT & SURFACE	17 models

SPECIFICATIONS

FINISHES	White · Black · Silver · Golden
COLOR TEMP	2700K–5000K (project specific)
CERTIFICATION	ETL / 5 Year Warranty
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca

GL LIGHTING — COMMERCIAL DOWNLIGHTS

DARKLIGHT ANTI-GLARE RECESSED

21 MODELS

GL-DL

Anti-glare darklight recessed LED. UGR<13, Ra>90, 100–277V.

SPECIFICATIONS

FINISHES	White · Black · Silver · Golden
COLOR TEMP	2700K–5000K (project specific)
CERTIFICATION	ETL / 5 Year Warranty

DARKLIGHT ANTI-GLARE RECESSED



GL-DL-LESS-8W

SHADE Darklight Lens · Less Series Round/S
DIM 3"–4" round or square
LAMP LED 8–12W
LED 8–12W · Ra>90 · UGR<13 · 100-277V



GL-DL-LESS-15W

SHADE Darklight Lens · Less Series Round/S
DIM 4"–5" round or square
LAMP LED 15–20W
LED 15–20W · Ra>90 · UGR<13 · 100-277V



GL-DL-LESS-25W

SHADE Darklight Lens · Less Series Round 5
DIM 5"–6" round
LAMP LED 25–30W
LED 25–30W · Ra>90 · UGR<13 · 100-277V



GL-DL-LESS-30W

SHADE Darklight Lens · Less Series Round 6
DIM 6" round
LAMP LED 30–35W
LED 30–35W · Ra>90 · UGR<13 · 100-277V



GL-DL-DEEP-8W

SHADE Darklight Lens · Deep Series Round 3
DIM 3"–4" round
LAMP LED 8–12W
LED 8–12W · Ra>90 · UGR<10 · 100-277V



GL-DL-DEEP-15W

SHADE Darklight Lens · Deep Series Round 4
DIM 4"–5" round
LAMP LED 15–20W
LED 15–20W · Ra>90 · UGR<10 · 100-277V



GL-DL-DEEP-25W

SHADE Darklight Lens · Deep Series Round 5
DIM 5"–6" round
LAMP LED 25–30W
LED 25–30W · Ra>90 · UGR<10 · 100-277V



GL-DL-DEEP-30W

SHADE Darklight Lens · Deep Series Round 6
DIM 6" round
LAMP LED 30–35W
LED 30–35W · Ra>90 · UGR<10 · 100-277V

DARKLIGHT ANTI-GLARE RECESSED



GL-DL-FRAME-LESS-8W

SHADE Darklight Frameless · Less Round/Squ
DIM 3"–4" round or square
LAMP LED 8–12W
LED 8–12W · Ra>90 · UGR<13 · 100-277V



GL-DL-FRAME-LESS-15W

SHADE Darklight Frameless · Less Round/Squ
DIM 4"–5" round or square
LAMP LED 15–20W
LED 15–20W · Ra>90 · UGR<13 · 100-277V



GL-DL-FRAME-DEEP-8W

SHADE Darklight Frameless · Deep Round 3"–
DIM 3"–4" round
LAMP LED 8–12W
LED 8–12W · Ra>90 · UGR<13 · 100-277V



GL-DL-FRAME-DEEP-15W

SHADE Darklight Frameless · Deep Round 4"–
DIM 4"–5" round
LAMP LED 15–20W
LED 15–20W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-8W

SHADE Reflective Cup · Warm Series 3"–4" S
DIM 3"–4" round
LAMP LED 8W
LED 8W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-15W

SHADE Reflective Cup · Warm Series 4"–5" S
DIM 4"–5" round
LAMP LED 15W
LED 15W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-20W

SHADE Reflective Cup · Warm Series 5" Swiv
DIM 5" round
LAMP LED 20W
LED 20W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-30W

SHADE Reflective Cup · Warm Series 5"–6" S
DIM 5"–6" round
LAMP LED 30W
LED 30W · Ra>90 · UGR<13 · 100-277V

DARKLIGHT ANTI-GLARE RECESSED



GL-DL-WARM-40W

- SHADE Reflective Cup · Warm Series 6" Swiv
- DIM 6" round
- LAMP LED 40W
- LED 40W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-50W

- SHADE Reflective Cup · Warm Series 8" Swiv
- DIM 8" round
- LAMP LED 50W
- LED 50W · Ra>90 · UGR<13 · 100-277V



GL-DL-WARM-55W

- SHADE Reflective Cup · Warm Series 8" Swiv
- DIM 8" round
- LAMP LED 55W
- LED 55W · Ra>90 · UGR<13 · 100-277V



GL-DL-MAGIC-8W

- SHADE Reflective Cup · Magic Series Round/
- DIM 3" round or square
- LAMP LED 8W
- LED 8W · Ra>90 · UGR<16 · 100-277V




GL-DL-MAGIC-15W

- SHADE Reflective Cup · Magic Series Round/
- DIM 4" round or square
- LAMP LED 15W
- LED 15W · Ra>90 · UGR<16 · 100-277V

GL LIGHTING — COMMERCIAL DOWNLIGHTS

COMMERCIAL RECESSED



39 MODELS

GL-CR

Commercial recessed LED. Jupiter, Saturn, Star, Uranus, Venus, Vortex series.

SPECIFICATIONS

FINISHES	White · Black · Silver · Golden
COLOR TEMP	2700K~5000K (project specific)
CERTIFICATION	ETL / 5 Year Warranty



GL-CR-URANUS-8W

SHADE COB/SMD Lens · Uranus Series 3"
DIM 3" round
LAMP LED 8W · COB or SMD
LED 8W · Ra>90 · UGR<19 · 100-277V



GL-CR-URANUS-15W

SHADE COB/SMD Lens · Uranus Series 4"
DIM 4" round
LAMP LED 15W · COB or SMD
LED 15W · Ra>90 · UGR<19 · 100-277V



GL-CR-URANUS-20W

SHADE COB/SMD Lens · Uranus Series 5"
DIM 5" round
LAMP LED 20W · COB or SMD
LED 20W · Ra>90 · UGR<19 · 100-277V



GL-CR-URANUS-30W

SHADE COB/SMD Lens · Uranus Series 5"–6"
DIM 5"–6" round
LAMP LED 30W · COB or SMD
LED 30W · Ra>90 · UGR<19 · 100-277V



GL-CR-URANUS-40W

SHADE COB/SMD Lens · Uranus Series 6"
DIM 6" round
LAMP LED 40W · COB or SMD
LED 40W · Ra>90 · UGR<19 · 100-277V



GL-CR-URANUS-50W

SHADE COB/SMD Lens · Uranus Series 8"
DIM 8" round
LAMP LED 50W · COB or SMD
LED 50W · Ra>90 · UGR<19 · 100-277V



GL-CR-STAR-12W

SHADE Lens · Star Series 3" Round/Square ·
DIM 3" round or square
LAMP LED 12W
LED 12W · Ra>90 · UGR<19 · 100-277V




GL-CR-STAR-20W

SHADE Lens · Star Series 4" Round/Square ·
DIM 4" round or square
LAMP LED 20W
LED 20W · Ra>90 · UGR<19 · 100-277V




GL-CR-STAR-30W

SHADE Lens · Star Series 5" Round/Square ·
DIM 5" round or square
LAMP LED 30W
LED 30W · Ra>90 · UGR<19 · 100-277V




GL-CR-STAR-TWINS-20W

SHADE Lens · Star Twins 4" Swivel 360°
DIM Twin 4" heads
LAMP LED 20W
LED 20W · Ra>90 · UGR<19 · 100-277V



GL-CR-STAR-TWINS-30W

SHADE Lens · Star Twins 5" Swivel 360°
DIM Twin 5" heads
LAMP LED 30W
LED 30W · Ra>90 · UGR<19 · 100-277V



GL-CR-STAR-TWINS-55W

SHADE Lens · Star Twins 6" Swivel 360°
DIM Twin 6" heads
LAMP LED 55W
LED 55W · Ra>90 · UGR<19 · 100-277V



GL-CR-VENUS-12W

SHADE Reflective Cup · Venus IP54 3"
DIM 3" round
LAMP LED 12W
LED 12W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-VENUS-15W

SHADE Reflective Cup · Venus IP54 3"
DIM 3" round
LAMP LED 15W
LED 15W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-VENUS-20W

SHADE Reflective Cup · Venus IP54 4"
DIM 4" round
LAMP LED 20W
LED 20W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-VENUS-30W

SHADE Reflective Cup · Venus IP54 5"
DIM 5" round
LAMP LED 30W
LED 30W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-VENUS-40W

SHADE Reflective Cup · Venus IP54 6"
DIM 6" round
LAMP LED 40W
LED 40W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-VENUS-50W

SHADE Reflective Cup · Venus IP54 8"
DIM 8" round
LAMP LED 50W
LED 50W · Ra>90 · UGR<16 · IP54 · 100-27



GL-CR-SATURN-12W

SHADE Reflective Cup · Saturn IP65 Round/S
DIM 3" round or square
LAMP LED 12W
LED 12W · Ra>90 · IP65 · 100-277V



GL-CR-SATURN-15W

SHADE Reflective Cup · Saturn IP65 Round/S
DIM 3" round or square
LAMP LED 15W
LED 15W · Ra>90 · IP65 · 100-277V



GL-CR-SATURN-20W

SHADE Reflective Cup · Saturn IP65 Round/S
DIM 4" round or square
LAMP LED 20W
LED 20W · Ra>90 · IP65 · 100-277V



GL-CR-SATURN-30W

SHADE Reflective Cup · Saturn IP65 Round/S
DIM 5" round or square
LAMP LED 30W
LED 30W · Ra>90 · IP65 · 100-277V



GL-CR-SATURN-40W

SHADE Reflective Cup · Saturn IP65 Round/S
DIM 6" round or square
LAMP LED 40W
LED 40W · Ra>90 · IP65 · 100-277V



GL-CR-VORTEX-12W

SHADE Darklight Reflector · Vortex Round/S
DIM 3" round or square
LAMP LED 12W · 50°
LED 12W · Ra>90 · UGR<19 · 100-277V



GL-CR-VORTEX-20W

SHADE Darklight Reflector · Vortex Round/S
DIM 4" round or square
LAMP LED 20W · 50°
LED 20W · Ra>90 · UGR<19 · 100-277V



GL-CR-VORTEX-30W

SHADE Darklight Reflector · Vortex Round/S
DIM 5" round or square
LAMP LED 30W · 50°
LED 30W · Ra>90 · UGR<19 · 100-277V



GL-CR-VORTEX-40W

SHADE Darklight Reflector · Vortex Round/S
DIM 6" round or square
LAMP LED 40W · 50°
LED 40W · Ra>90 · UGR<19 · 100-277V



GL-CR-VORTEX-50W

SHADE Darklight Reflector · Vortex Round 8
DIM 8" round
LAMP LED 50W · 50°
LED 50W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-12W

SHADE Reflective Cup · Jupiter Round 3"
DIM 3" round
LAMP LED 12W
LED 12W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-15W

SHADE Reflective Cup · Jupiter Round 3"
DIM 3" round
LAMP LED 15W
LED 15W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-20W

SHADE Reflective Cup · Jupiter Round 4"
DIM 4" round
LAMP LED 20W
LED 20W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-30W

SHADE Reflective Cup · Jupiter Round 5"
DIM 5" round
LAMP LED 30W
LED 30W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-40W

SHADE Reflective Cup · Jupiter Round 6"
DIM 6" round
LAMP LED 40W
LED 40W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-50W

SHADE Reflective Cup · Jupiter Round 8"
DIM 8" round
LAMP LED 50W
LED 50W · Ra>90 · UGR<19 · 100-277V



GL-CR-JUPITER-55W

SHADE Reflective Cup · Jupiter Round 8"
DIM 8" round
LAMP LED 55W
LED 55W · Ra>90 · UGR<19 · 100-277V



GL-CR-XB-8W

SHADE Lens · XB Series 3" Swivel
DIM 3" round
LAMP LED 8W
LED 8W · Ra>90 · UGR<19 · 100-277V




GL-CR-XB-15W

SHADE Lens · XB Series 4" Swivel
DIM 4" round
LAMP LED 15W
LED 15W · Ra>90 · UGR<19 · 100-277V



GL-CR-XB-25W

SHADE Lens · XB Series 5" Swivel
DIM 5" round
LAMP LED 25W
LED 25W · Ra>90 · UGR<19 · 100-277V



GL-CR-BIKE-30W

SHADE Lens · Bike Series 5" Swivel
DIM 5" round
LAMP LED 30W
LED 30W · Ra>90 · UGR<19 · 100-277V

GL LIGHTING — COMMERCIAL DOWNLIGHTS

PENDANT & SURFACE

17 MODELS

GL-MS

Pendant and surface mount LED for commercial interiors.

SPECIFICATIONS

FINISHES	White · Black · Silver · Golden
COLOR TEMP	2700K~5000K (project specific)
CERTIFICATION	ETL / 5 Year Warranty

			
GL-MS-PENDANT-20W SHADE Cylinder Lens · Master Pendant · Bla DIM Ceiling cup 4-3/4" · Cable 2ft LAMP LED 20W LED 20W · Swivel · 11°/24°/36° beam	GL-MS-MASTERB-8W SHADE Reflective Cup · Master B Pendant/Su DIM 3" · Ceiling cup 4-3/4" LAMP LED 8–12W LED 8–12W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERB-15W SHADE Reflective Cup · Master B Pendant/Su DIM 4" · Ceiling cup 4-3/4" LAMP LED 15W LED 15W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERB-20W SHADE Reflective Cup · Master B Pendant/Su DIM 5" · Ceiling cup 4-3/4" LAMP LED 20–25W LED 20–25W · Ra>90 · UGR<19 · 100-277V
			
GL-MS-MASTERB-30W SHADE Reflective Cup · Master B Pendant/Su DIM 6" · Ceiling cup 4-3/4" LAMP LED 30–40W LED 30–40W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERB-50W SHADE Reflective Cup · Master B Pendant/Su DIM 8" · Ceiling cup 4-3/4" LAMP LED 50–55W LED 50–55W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERC-8W SHADE Darklight Reflector · Master C Penda DIM 3" round/square · Ceiling cup 4-3/4" LAMP LED 8W · 50° LED 8W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERC-15W SHADE Darklight Reflector · Master C Penda DIM 4" round/square · Ceiling cup 4-3/4" LAMP LED 15W · 50° LED 15W · Ra>90 · UGR<19 · 100-277V

			
GL-MS-MASTERC-20W SHADE Darklight Reflector · Master C Penda DIM 5" round/square · Ceiling cup 4-3/4" LAMP LED 20W · 50° LED 20W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERC-30W SHADE Darklight Reflector · Master C Penda DIM 5"-6" round/square · Ceiling cup 4-3 LAMP LED 30W · 50° LED 30W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERC-40W SHADE Darklight Reflector · Master C Penda DIM 6" round/square · Ceiling cup 4-3/4" LAMP LED 40W · 50° LED 40W · Ra>90 · UGR<19 · 100-277V	GL-MS-MASTERC-8W SHADE Darklight · Master D IP65 Pendant/Su DIM 3" round · Ceiling cup 4-3/4" LAMP LED 8W · 20°/40° LED 8W · Ra>90 · UGR<12 · IP65 · 100-277
			
GL-MS-MASTERD-15W SHADE Darklight · Master D IP65 Pendant/Su DIM 4" round · Ceiling cup 4-3/4" LAMP LED 15W · 20°/40° LED 15W · Ra>90 · UGR<12 · IP65 · 100-27	GL-MS-MASTERD-20W SHADE Darklight · Master D IP65 Pendant/Su DIM 5" round · Ceiling cup 4-3/4" LAMP LED 20W · 20°/40° LED 20W · Ra>90 · UGR<12 · IP65 · 100-27	GL-MS-MASTERD-30W SHADE Darklight · Master D IP65 Pendant/Su DIM 5"-6" round · Ceiling cup 4-3/4" LAMP LED 30W · 20°/40° LED 30W · Ra>90 · UGR<12 · IP65 · 100-27	GL-MS-MASTERD-40W SHADE Darklight · Master D IP65 Pendant/Su DIM 6" round · Ceiling cup 4-3/4" LAMP LED 40-50W · 20°/40° LED 40-50W · Ra>90 · UGR<12 · IP65 · 100



GL-MS-MASTERD-55W

- SHADE** Darklight · Master D IP65 Pendant/Su
- DIM** 8" round · Ceiling cup 4-3/4"
- LAMP** LED 55W · 20°/40°
- LED** 55W · Ra>90 · UGR<12 · IP65 · 100-27

GL LIGHTING — ALUMINUM PROFILES

GL LIGHTING ALUMINUM PROFILES

38 MODELS

CATEGORIES

RECESSED PROFILES	13 models
SURFACE MOUNT PROFILES	9 models
PENDANT & LARGE PROFILES	7 models
SKIRTING & FLOOR PROFILES	9 models

SPECIFICATIONS

FINISHES	Silver · Black · White
COLOR TEMP	Compatible with DC12V / 24V LED strips
CERTIFICATION	AL6063-T5 · Max 3M length · Customizable
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca

RECESSED PROFILES

01




13 MODELS

PXG

AL6063-T5 recessed channels for invisible LED strip lighting.

SPECIFICATIONS

FINISHES	Silver · Black · White
COLOR TEMP	Compatible with DC12V / 24V LED strips
CERTIFICATION	AL6063-T5 · Max 3M length · Customizable

			
PXG-103-A SHADE AL6063-T5 + PC Cover · Recessed DIM 13 × 9.9 × 13.5 mm LAMP DC12V/24V 2835 strip ≤8mm PCB LED <18W/m	PXG-112-A SHADE AL6063-T5 + PC Cover · Recessed DIM 14.2 × 13.2 × 8.5 mm LAMP DC12V/24V 2835 strip ≤12mm PCB LED <18W/m	PXG-1010A SHADE AL6063-T5 + PC Cover · Recessed DIM 9.5 × 8.5 × 10 mm LAMP DC12V/24V 2835 strip ≤8mm PCB LED <18W/m	PXG-115 SHADE AL6063-T5 + PC Cover · Recessed DIM 7.3 × 17.6 × 23.8 mm LAMP DC12V/24V 2835 strip LED <18W/m
			
PXG-1206 SHADE AL6063-T5 + PC Cover · Recessed DIM 24.2 × 12.6 × 16.8 mm LAMP DC12V/24V 2835 strip LED <18W/m	PXG-3520-A SHADE AL6063-T5 + PC Cover · Recessed DIM 50 × 27.4 × 20 mm LAMP DC12V/24V 2835 strip ≤24mm PCB LED <40W/m	PXG-5035B-A SHADE AL6063-T5 + PC Cover · Recessed DIM 65 × 37.5 × 50 mm LAMP DC12V/24V 2835 strip LED <40W/m	PXG-5020-A SHADE AL6063-T5 + PC Cover · Recessed DIM 65 × 41.6 × 50 mm LAMP DC12V/24V 2835 strip LED <40W/m



PXG-6613-A

SHADE AL6063-T5 + PC Cover · Recessed
DIM 66 × 42.5 × 54 mm
LAMP DC12V/24V 2835 strip
LED <40W/m



PXG-7520-A

SHADE AL6063-T5 + PC Cover · Recessed
DIM 90 × 20 × 75 mm
LAMP DC12V/24V 2835 strip
LED <70W/m



PXG-9035-A

SHADE AL6063-T5 + PC Cover · Recessed
DIM 105 × 75 × 90 mm
LAMP DC12V/24V 2835 strip
LED <70W/m



PXG-9535A

SHADE AL6063-T5 + PC Cover · Recessed
DIM 110 × 95.5 × 87 mm
LAMP DC12V/24V 2835 strip
LED <70W/m



PXG-404

SHADE AL6063-T5 + PC Cover · Underground /
DIM 35 × 50 × 46 mm
LAMP DC12V/24V 2835 2×strip ≤37mm PCB
LED <40W/m

SURFACE MOUNT PROFILES

9 MODELS

PXG

Surface-mounted aluminum channels. Easy clip installation, max 3M.

SPECIFICATIONS

FINISHES	Silver · Black · White
COLOR TEMP	Compatible with DC12V / 24V LED strips
CERTIFICATION	AL6063-T5 · Max 3M length · Customizable



PXG-105
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 14.3 × 12.9 × 6.9 mm
LAMP DC12V/24V 2835 strip ≤12mm PCB
LED <18W/m




PXG-113-M
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 19 × 14.2 × 13.2 mm
LAMP DC12V/24V 2835 strip ≤12mm PCB
LED <18W/m



PXG-2010
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 20 × 18 × 10 mm
LAMP DC12V/24V 2835 strip ≤16mm PCB
LED <18W/m



PXG-3020-M
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 29.6 × 25.3 × 19.7 mm
LAMP DC12V/24V 2835 dual strip ≤24mm PCB
LED <24W/m



PXG-3520-M
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 35 × 27.4 × 20 mm
LAMP DC12V/24V 2835 dual strip ≤24mm PCB
LED <40W/m



PXG-3535B-M
SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 35 × 26.6 × 35 mm
LAMP DC12V/24V 2835 dual strip
LED <40W/m



PXG-110
SHADE AL6063-T5 + PC Cover · Surface Mount
DIM 42 × 45 × 34.6 mm
LAMP DC12V/24V 2835 dual strip ≤34mm PCB
LED <40W/m



PXG-310
SHADE AL6063-T5 + PC Cover · Wall Corner
DIM 47.6 × 7.6 × 20 mm
LAMP DC12V/24V 2835 strip
LED <18W/m

SURFACE MOUNT PROFILES



PXG-311
SHADE AL6063-T5 + PC Cover · Wall Corner
DIM 19 × 16.8 × 14.8 mm
LAMP DC12V/24V 2835 strip
LED <18W/m

GL LIGHTING — ALUMINUM PROFILES

PENDANT & LARGE PROFILES

7 MODELS

PXG

Large profiles for pendant and linear surface installations.

SPECIFICATIONS

FINISHES	Silver · Black · White
COLOR TEMP	Compatible with DC12V / 24V LED strips
CERTIFICATION	AL6063-T5 · Max 3M length · Customizable



PXG-4070-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 40 × 24.8 × 70 mm
LAMP DC12V/24V 2835 dual strip
LED <36W/m




PXG-4050-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 50 × 37.8 × 50 mm
LAMP DC12V/24V 2835 dual strip
LED <40W/m



PXG-5070-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 50 × 38 × 70 mm
LAMP DC12V/24V 2835 dual strip
LED <50W/m



PXG-4950-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 55 × 32 × 37 mm
LAMP DC12V/24V 2835 dual strip
LED <50W/m




PXG-7090-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 70 × 55 × 90 mm
LAMP DC12V/24V 2835 dual strip ≤55mm PCB
LED <70W/m



PXG-8080-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 102 × 80 × 70 mm
LAMP DC12V/24V 2835 4× strip ≤80mm PCB
LED <70W/m



PXG-10050-M

SHADE AL6063-T5 + PC Cover · Surface / Pen
DIM 120 × 95.2 × 50 mm
LAMP DC12V/24V 2835 4× strip
LED <100W/m

SKIRTING & FLOOR PROFILES


9 MODELS

PXG

Skirting, floor, glass and board-mounted LED aluminum channels.


SPECIFICATIONS

FINISHES	Silver · Black · White
COLOR TEMP	Compatible with DC12V / 24V LED strips
CERTIFICATION	AL6063-T5 · Max 3M length · Customizable



PXG-503

SHADE AL6063-T5 + PC Cover · Skirting Surf
DIM 80 × 9.6 × 16.1 mm
LAMP DC12V/24V 2835 strip ≤8mm PCB
LED <18W/m



PXG-505

SHADE AL6063-T5 + PC Cover · Skirting Surf
DIM 22 × 150 × 18 mm
LAMP DC12V/24V 2835 strip ≤30mm PCB
LED <18W/m



PXG-514

SHADE AL6063-T5 + PC Cover · Skirting Surf
DIM 65 × 21 × 5.6 mm
LAMP DC12V/24V 2835 strip ≤5mm PCB
LED <18W/m



PXG-515

SHADE AL6063-T5 + PC Cover · Skirting Surf
DIM 71.4 × 64.4 × 13.4 mm
LAMP DC12V/24V 2835 strip ≤8mm PCB
LED <18W/m



PXG-502

SHADE AL6063-T5 + PC Cover · Skirting Surf
DIM 13 × 7.6 × 5.6 mm
LAMP DC12V/24V 2835 strip ≤5mm PCB
LED <18W/m



PXG-508

SHADE AL6063-T5 · For 8mm Glass Shelf
DIM 11 × 7.6 × 16.5 mm
LAMP DC12V/24V 2835 strip ≤5mm PCB
LED <18W/m



PXG-510

SHADE AL6063-T5 · For 10mm Board
DIM 14.36 × 10 × 7.3 mm
LAMP DC12V/24V 2835 strip ≤5mm PCB
LED <18W/m



PXG-511

SHADE AL6063-T5 · For 18mm Board
DIM 30.8 × 20 × 11.5 mm
LAMP DC12V/24V 2835 strip ≤8mm PCB
LED <18W/m



PXG-507

SHADE AL6063-T5 · Black Series · For 18mm

DIM 14.8 × 13 × 18.2 mm

LAMP DC12V/24V 2835 strip ≤12mm PCB

LED <18W/m

GL LIGHTING — SLIM & COB DOWNLIGHTS

GL LIGHTING SLIM & COB DOWNLIGHTS

62 MODELS

CATEGORIES

SLIM STEP RECESSED	9 models
PAR RECESSED	4 models
COB ROUND RECESSED	14 models
COB DIRECTIONAL DOWNLIGHTS	8 models
COB FRAMELESS DOWNLIGHTS	8 models
COB SQUARE DOWNLIGHTS	6 models
COB ROUND DOWNLIGHTS	2 models
SLIM LED PANELS	11 models

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca · 905-604-1000

GL LIGHTING — SLIM & COB DOWNLIGHTS

SLIM STEP RECESSED

9 MODELS

LED-H

Step-trim and wet-location recessed LED. SMD2835, dimmable, 9–15W.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star



LED-H420

SHADE Aluminum Alloy · Step Trim

DIM Ø158mm

LAMP SMD2835 · 3CCT · Dimmable

LED 15W · 1125LM · CRI≥80 · 110°



LED-H420-3CCT

SHADE Aluminum Alloy · Step Trim · 3CCT

DIM Ø158mm

LAMP SMD2835 · 3CCT · Dimmable

LED 15W · 1125LM · CRI≥80 · 110°



LED-H620

SHADE Aluminum Alloy · Step Trim

DIM Ø108mm

LAMP SMD2835 · 3CCT · Dimmable

LED 9/12W · 630/840LM · CRI≥80 · 110°



LED-H620-3CCT

SHADE Aluminum Alloy · Step Trim · 3CCT

DIM Ø108mm

LAMP SMD2835 · 3CCT · Dimmable

LED 9/12W · 630/840LM · CRI≥80 · 110°



LED-H620S

SHADE Aluminum Alloy · Step Trim Surface

DIM Ø108mm

LAMP SMD2835 · 3CCT · Dimmable

LED 9/12W · 630/840LM · CRI≥80 · 110°



LED-H620S-3CCT

SHADE Aluminum Alloy · Step Trim Surface ·

DIM Ø108mm

LAMP SMD2835 · 3CCT · Dimmable

LED 9/12W · 630/840LM · CRI≥80 · 110°



PF-420

SHADE Aluminum Alloy · Waterproof · Wet Lo

DIM Ø108mm · 9/12W

LAMP SMD2835 · 3CCT/5CCT

LED 9/12W · 630/840LM · CRI>80 · IP65



PF-420-3CCT

SHADE Aluminum Alloy · Waterproof · 3CCT

DIM Ø108mm

LAMP SMD2835 · 3CCT · Dimmable

LED 9/12W · 630/840LM · CRI>80



PF-420-5CCT

- SHADE Aluminum Alloy · Waterproof · 5CCT
- DIM Ø108mm
- LAMP SMD2835 · 5CCT · Dimmable
- LED 9/12W · 630/840LM · CRI>80

GL LIGHTING — SLIM & COB DOWNLIGHTS

PAR RECESSED

02

4 MODELS

LED-460B

PAR16 and PAR20 COB recessed LED. 9W, 630LM, ETL/cETL.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star

			
LED-460B-PAR16 SHADE Iron + Aluminum · PAR16 DIM Ø106mm LAMP COB · 3CCT · Dimmable LED 9W · 630LM · CRI≥80 · 35°	LED-460B-PAR16-3CCT SHADE Iron + Aluminum · PAR16 · 3CCT DIM Ø106mm LAMP COB · 3CCT · Dimmable LED 9W · 630LM · CRI≥80 · 35°	LED-460B-PAR20 SHADE Iron + Aluminum · PAR20 DIM Ø106mm LAMP COB · 3CCT · Dimmable LED 9W · 630LM · CRI≥80 · 38°	LED-460B-PAR20-3CCT SHADE Iron + Aluminum · PAR20 · 3CCT DIM Ø106mm LAMP COB · 3CCT · Dimmable LED 9W · 630LM · CRI≥80 · 38°

GL LIGHTING — SLIM & COB DOWNLIGHTS

COB ROUND RECESSED

14 MODELS

LED-47

Ultra-slim COB round recessed. 7–12W, 490–840LM, multiple CCT options.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star

COB ROUND RECESSED



LED-4701

SHADE Aluminum Alloy · Ultra Slim COB
DIM Ø120mm · 27mm depth
LAMP COB · 3000K/4000K/5000K
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-4701-3CCT

SHADE Aluminum Alloy · Ultra Slim COB · 3C
DIM Ø120mm · 27mm depth
LAMP COB · 3CCT
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-4701-5CCT

SHADE Aluminum Alloy · Ultra Slim COB · 5C
DIM Ø120mm · 27mm depth
LAMP COB · 5CCT
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-4701G

SHADE Aluminum Alloy · Gimbal COB
DIM Ø125mm · 27mm depth
LAMP COB · 3CCT
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-4702

SHADE Aluminum Alloy · Deep COB
DIM Ø120mm · 42mm depth
LAMP COB · 3000K/4000K/5000K
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-4702-3CCT

SHADE Aluminum Alloy · Deep COB · 3CCT
DIM Ø120mm · 42mm depth
LAMP COB · 3CCT
LED 9W · 630LM · CRI≥80 · 38° · Cut Ø106



LED-380

SHADE Aluminum Alloy · Mini COB
DIM Ø85.7mm · 42.8mm depth
LAMP COB · 3000K/4000K/5000K
LED 7W · 490LM · CRI≥80 · 35° · Cut Ø73m



LED-380-3CCT

SHADE Aluminum Alloy · Mini COB · 3CCT
DIM Ø85.7mm · 42.8mm depth
LAMP COB · 3CCT
LED 7W · 490LM · CRI≥80 · 35° · Cut Ø73m



COB ROUND RECESSED



LED-4018

SHADE Aluminum Alloy · Slim Round 4"
DIM Ø108mm
LAMP SMD2835 · 3CCT · Dimmable
LED 9W · 630LM · CRI≥80 · 110° · Cut Ø10



LED-458

SHADE Aluminum Alloy · COB Round
DIM Ø108mm
LAMP COB · 3000K/4000K/5000K
LED 9W · 900LM · CRI≥80 · 45° · Cut Ø73m

LED-4018-3CCT

SHADE Aluminum Alloy · Slim Round 4" · 3CC
DIM Ø108mm
LAMP SMD2835 · 3CCT
LED 9W · 630LM · CRI≥80 · 110° · Cut Ø10

LED-6018

SHADE Aluminum Alloy · Slim Round 6"
DIM Ø98mm
LAMP SMD2835 · 3CCT · Dimmable
LED 12W · 840LM · CRI≥80 · 110°

LED-6018-3CCT

SHADE Aluminum Alloy · Slim Round 6" · 3CC
DIM Ø150mm
LAMP SMD2835 · 3CCT
LED 12W · 840LM · CRI≥80 · 110°

LED-458-3CCT

SHADE Aluminum Alloy · COB Round · 3CCT
DIM Ø108mm
LAMP COB · 3CCT
LED 9W · 900LM · CRI≥80 · 45°

GL LIGHTING — SLIM & COB DOWNLIGHTS

COB DIRECTIONAL DOWNLIGHTS

8 MODELS

LED-X

Directional COB downlights 3"–6". Narrow beam 20°–35°, 9–18W.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star

COB DIRECTIONAL DOWNLIGHTS



LED-X3

SHADE Aluminum Alloy · Directional COB 3"
DIM Cut Ø76mm
LAMP COB · 3CCT · Dimmable
LED 9W · 560LM · CRI≥80 · 20°



LED-X3-3CCT

SHADE Aluminum Alloy · Directional COB 3"
DIM Cut Ø76mm
LAMP COB · 3CCT
LED 9W · 560LM · CRI≥80 · 20°



LED-X4

SHADE Aluminum Alloy · Directional COB 4"
DIM Cut Ø102mm
LAMP COB · 3CCT · Dimmable
LED 12W · 900LM · CRI≥80 · 25°



LED-X4-3CCT

SHADE Aluminum Alloy · Directional COB 4"
DIM Cut Ø102mm
LAMP COB · 3CCT
LED 12W · 900LM · CRI≥80 · 25°



LED-X5

SHADE Aluminum Alloy · Directional COB 5"
DIM Cut Ø127mm
LAMP COB · 3CCT · Dimmable
LED 15W · 1125LM · CRI≥80 · 30°



LED-X5-3CCT

SHADE Aluminum Alloy · Directional COB 5"
DIM Cut Ø127mm
LAMP COB · 3CCT
LED 15W · 1125LM · CRI≥80 · 30°



LED-X6

SHADE Aluminum Alloy · Directional COB 6"
DIM Cut Ø143mm
LAMP COB · 3CCT · Dimmable
LED 18W · 1350LM · CRI≥80 · 35°



LED-X6-3CCT

SHADE Aluminum Alloy · Directional COB 6"
DIM Cut Ø143mm
LAMP COB · 3CCT
LED 18W · 1350LM · CRI≥80 · 35°

GL LIGHTING — SLIM & COB DOWNLIGHTS

COB FRAMELESS DOWNLIGHTS

8 MODELS

LED-F

Frameless COB downlights 3"–6". Ultra-clean trim, 9–18W, ETL.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star

COB FRAMELESS DOWNLIGHTS



LED-F31
SHADE Aluminum Alloy · Frameless COB 3" ·
DIM Cut Ø75mm
LAMP COB · 3CCT · Dimmable
LED 9W · 630LM · CRI≥80 · 20°



LED-F31-3CCT
SHADE Aluminum Alloy · Frameless COB 3" ·
DIM Cut Ø75mm
LAMP COB · 3CCT
LED 9W · 630LM · CRI≥80 · 20°



LED-F41
SHADE Aluminum Alloy · Frameless COB 4" ·
DIM Cut Ø95mm
LAMP COB · 3CCT · Dimmable
LED 12W · 840LM · CRI≥80 · 25°



LED-F41-3CCT
SHADE Aluminum Alloy · Frameless COB 4" ·
DIM Cut Ø95mm
LAMP COB · 3CCT
LED 12W · 840LM · CRI≥80 · 25°



LED-F51
SHADE Aluminum Alloy · Frameless COB 5" ·
DIM Cut Ø122mm
LAMP COB · 3CCT · Dimmable
LED 15W · 1050LM · CRI≥80 · 30°



LED-F51-3CCT
SHADE Aluminum Alloy · Frameless COB 5" ·
DIM Cut Ø122mm
LAMP COB · 3CCT
LED 15W · 1050LM · CRI≥80 · 30°



LED-F61
SHADE Aluminum Alloy · Frameless COB 6" ·
DIM Cut Ø146mm
LAMP COB · 3CCT · Dimmable
LED 18W · 1260LM · CRI≥80 · 35°



LED-F61-3CCT
SHADE Aluminum Alloy · Frameless COB 6" ·
DIM Cut Ø146mm
LAMP COB · 3CCT
LED 18W · 1260LM · CRI≥80 · 35°

GL LIGHTING — SLIM & COB DOWNLIGHTS

COB SQUARE DOWNLIGHTS

6 MODELS

LED-S

Square COB downlights 4"–6". 12–18W, narrow beam 18°–28°.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star



LED-S40

SHADE Aluminum Alloy · Square COB 4"

DIM 95 × 95mm

LAMP COB · 3CCT · Dimmable

LED 12W · 840LM · CRI≥80 · 18°



LED-S40-3CCT

SHADE Aluminum Alloy · Square COB 4" · 3CC

DIM 95 × 95mm

LAMP COB · 3CCT

LED 12W · 840LM · CRI≥80 · 18°



LED-S50

SHADE Aluminum Alloy · Square COB 5"

DIM 122 × 122mm

LAMP COB · 3CCT · Dimmable

LED 15W · 1050LM · CRI≥80 · 22°



LED-S50-3CCT

SHADE Aluminum Alloy · Square COB 5" · 3CC

DIM 122 × 122mm

LAMP COB · 3CCT

LED 15W · 1050LM · CRI≥80 · 22°



LED-S60

SHADE Aluminum Alloy · Square COB 6"

DIM 156 × 156mm

LAMP COB · 3CCT · Dimmable

LED 18W · 1260LM · CRI≥80 · 28°



LED-S60-3CCT

SHADE Aluminum Alloy · Square COB 6" · 3CC

DIM 156 × 156mm

LAMP COB · 3CCT

LED 18W · 1260LM · CRI≥80 · 28°

GL LIGHTING — SLIM & COB DOWNLIGHTS

COB ROUND DOWNLIGHTS

2 MODELS

LED-D

Round COB downlights 5". 12W, 840LM, 18° beam angle.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star



LED-D50

- SHADE Aluminum Alloy · Round COB 5"
- DIM Cut Ø96mm
- LAMP COB · 3CCT · Dimmable
- LED 12W · 840LM · CRI≥80 · 18°



LED-D50-3CCT

- SHADE Aluminum Alloy · Round COB 5" · 3CCT
- DIM Cut Ø96mm
- LAMP COB · 3CCT
- LED 12W · 840LM · CRI≥80 · 18°

GL LIGHTING — SLIM & COB DOWNLIGHTS

SLIM LED PANELS

11 MODELS

TH-

LED slim panels and flat rounds 2"–12". SMD2835, 6–60W, ETL.

SPECIFICATIONS

FINISHES	BK · SN · NW
COLOR TEMP	2700K / 3000K / 4000K / 5000K / 6000K
CERTIFICATION	ETL / cETL / JA8 / Energy Star



GL-SFS-S2

SHADE Aluminum Alloy · Slim Square 2"

DIM 75 × 75mm

LAMP SMD2835 · 3CCT · Dimmable

LED 6W · 420LM · CRI≥80 · 110°



GL-SFS-S2-3CCT

SHADE Aluminum Alloy · Slim Square 2" · 3C

DIM 75 × 75mm

LAMP SMD2835 · 3CCT

LED 6W · 420LM · CRI≥80 · 110°



GL-SFS-S4R

SHADE Aluminum Alloy · Slim Square 4" Rect

DIM 110 × 110mm

LAMP SMD2835 · 3CCT · Dimmable

LED 12W · 830LM · CRI≥80 · 110°



GL-SFS-S4R-3CCT

SHADE Aluminum Alloy · Slim Square 4" Rect

DIM 110 × 110mm

LAMP SMD2835 · 3CCT

LED 12W · 830LM · CRI≥80 · 110°



GL-SFS-S6R

SHADE Aluminum Alloy · Slim Square 6" Rect

DIM Cut Ø157mm

LAMP SMD2835 · 3CCT · Dimmable

LED 15W · 1125LM · CRI≥80 · 110°



GL-SFS-S6R-3CCT

SHADE Aluminum Alloy · Slim Square 6" Rect

DIM Cut Ø157mm

LAMP SMD2835 · 3CCT

LED 15W · 1125LM · CRI≥80 · 110°



TH-60120P

SHADE Aluminum · LED Panel 600×1200

DIM 1213 × 603mm

LAMP SMD2835 · 3CCT

LED 60W · 4800LM · ETL/CETL






H501

SHADE Aluminum · Round Panel

DIM 5"

LAMP SMD2835 · 3CCT

LED Various · CRI≥80

LED Slim Lights 	LED Slim Lights 	LED Slim Lights 
H601 SHADE Aluminum · Round Panel DIM 6" LAMP SMD2835 · 3CCT LED Various · CRI≥80	H901 SHADE Aluminum · Round Panel DIM 9" LAMP SMD2835 · 3CCT LED Various · CRI≥80	H1201 SHADE Aluminum · Round Panel DIM 12" LAMP SMD2835 · 3CCT LED Various · CRI≥80

GL LIGHTING — GARDEN & STREET

GL LIGHTING GARDEN & STREET

17 MODELS

CATEGORIES

LED GARDEN POST LIGHTS	7 models
LED STREET LIGHTS	2 models
LAWN BOLLARD LIGHTS	8 models

SPECIFICATIONS

FINISHES	Black · Dark Bronze · White
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	CE / IP65
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca · 905-604-1000

LED GARDEN POST LIGHTS

7 MODELS

LED-61

IP65 LED garden post lights. Die-cast aluminum, 30–80W, 3000–5000K.

SPECIFICATIONS

FINISHES	Black · Dark Bronze · White
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	CE / IP65

LED GARDEN POST LIGHTS

			
LED-6113A SHADE Die-Cast Aluminum · PC Diffuse Glass DIM IP65 · Post Top LAMP LED COB · 3000K/4000K/5000K LED 30W / 40W / 60W	LED-6113B SHADE Die-Cast Aluminum · PC Diffuse Glass DIM IP65 · Post Top LAMP LED COB · 3000K/4000K/5000K LED 30W / 40W / 60W	LED-6132 SHADE Die-Cast Aluminum · PC Lens · Disc S DIM IP65 · Post Top LAMP LED COB LED 30W	LED-6115 SHADE Aluminum + Steel Cover · Traditional DIM IP65 · Post Top LAMP LED COB · 3000K/4000K/5000K LED 30W / 40W / 60W
			
LED-6102 SHADE Die-Cast Aluminum · PC Cover · Dome DIM IP65 · Post Top LAMP LED COB · 3000K/4000K/5000K LED 30W / 40W / 60W / 80W	LED-6109 SHADE Aluminum-Steel Mold Cover · Acorn St DIM IP65 · Post Top LAMP LED COB · 3000K/4000K/5000K LED 30W / 40W / 60W / 80W	LED-6136 SHADE Zinc Die + Aluminum · Traditional La DIM IP65 · Post Top LAMP LED Individual modules LED 30W	

GL LIGHTING — GARDEN & STREET

LED STREET LIGHTS

2 MODELS

LED-64

IP65/IK08 LED street lights. Die-cast aluminum, 30–150W.

SPECIFICATIONS

FINISHES	Black · Dark Bronze · White
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	CE / IP65

			
LED-6410 SHADE Die-Cast Aluminum · Tempered Glass DIM IP65 · Street Mount LAMP LED COB · Double Photoelectric Diffu LED 30W / 40W / 60W / 80W / 120W		LED-6408M SHADE Die-Cast Aluminum · Galaxy Mini · IP DIM IP65 · IK08 · Street Mount LAMP LED · Quick-tool-free access LED 30W / 40W / 60W / 100W / 120W / 150W	

GL LIGHTING — GARDEN & STREET

LAWN BOLLARD LIGHTS

8 MODELS

GL-62

LED lawn bollard lights. Die-cast aluminum, IP65, CE/ETL, 15W.

SPECIFICATIONS

FINISHES	Black · Dark Bronze · White
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	CE / IP65

			
GL-6201A SHADE Die-Cast Aluminum · Surface Powder C DIM 470 × Ø76mm · IP65 LAMP LED 3000K-6500K LED 15W	GL-6203A SHADE Die-Cast Aluminum · Surface Powder C DIM 470 × Ø76mm · ETL/CE LAMP LED 3000K-6500K LED 15W	GL-6204A SHADE Die-Cast Aluminum · Electrostatic Po DIM IP65 · Bollard LAMP LED High Luminous Efficiency LED 15W	GL-6205A SHADE Die-Cast Aluminum · Electrostatic Po DIM IP65 · Bollard LAMP LED High Luminous Efficiency LED 15W
 YM-6223			
GL-6217A SHADE Die-Cast Aluminum · Surface Powder C DIM 600-800mm · IP65 LAMP LED High Luminous Efficiency LED 15W	LED-6221 SHADE Die-Cast Aluminum · ETL/CE DIM IP65 · Bollard LAMP LED High Luminous Efficiency LED 15W	YMLED-6222 SHADE Die-Cast Aluminum · Surface Powder C DIM IP65 · Bollard LAMP LED · Max 30W LED ≤30W	YM-6223 SHADE Die-Cast Aluminum · ETL/CE DIM IP65 · Bollard LAMP LED · Max 30W LED ≤30W

KDS / RDS — LINEAR & COMMERCIAL

KDS / RDS LINEAR & COMMERCIAL

44 MODELS

CATEGORIES

LED STRIP FIXTURES	9 models
LED LINEAR FIXTURES	5 models
LED PENDANT LIGHTS	4 models
ROUND LED LIGHTS	1 models
VAPOR TIGHT LED	4 models
HIGH BAY VAPOR	3 models
LINEAR HIGH BAY	7 models
LED TROFFER	5 models
CYLINDER LED	1 models
UFO HIGH BAY	3 models
WRAP LED FIXTURE	2 models

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC
SUPPLIER	GL Lighting Technology Inc. · gl-light.ca

KDS / RDS — LINEAR & COMMERCIAL

LED STRIP FIXTURES

9 MODELS

KDS-ST

LED batten and strip fixtures 3ft–8ft. 20–90W, 130lm/W, ETL/DLC.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



KDS-ST20-3FT

SHADE Aluminum + Frosted PC · Batten Strip
DIM 3ft · 3.35" × 3.8"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 20W · 2600LM · 130lm/w · ETL/DLC/FCC



KDS-ST20-4FT

SHADE Aluminum + Frosted PC · Batten Strip
DIM 4ft · 3.35" × 3.8"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 20W · 2600LM · 130lm/w · ETL/DLC/FCC



KDS-ST35-4FT

SHADE Aluminum + Frosted PC · Batten Strip
DIM 4ft · 3.35" × 3.8"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 35W · 4550LM · 130lm/w · ETL/DLC/FCC



KDS-ST64-8FT

SHADE Aluminum + Frosted PC · Batten Strip
DIM 8ft · 3.35" × 3.8"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 64W · 8320LM · 130lm/w · ETL/DLC/FCC



KDS-ST90-8FT

SHADE Aluminum + Frosted PC · Batten Strip
DIM 8ft · 3.35" × 3.8"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 90W · 11700LM · 130lm/w · ETL/DLC/FC



KDS-SCB-2FT

SHADE Aluminum + PC · Small Batten
DIM 2ft
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 10W · 1300LM · 130lm/w



KDS-SCB-4FT

SHADE Aluminum + PC · Small Batten
DIM 4ft
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 20W · 2600LM · 130lm/w



KDS-WS-2FT

SHADE Aluminum + PC · Wide Strip
DIM 2ft · 4.5"
LAMP LED SMD · 3CCT · 0-10V Dimming
LED 20W · 2600LM · 130lm/w



KDS-WS-4FT

- SHADE Aluminum + PC · Wide Strip
- DIM 4ft · 4.5"
- LAMP LED SMD · 3CCT · 0-10V Dimming
- LED 35W · 4550LM · 130lm/w

KDS / RDS — LINEAR & COMMERCIAL

LED LINEAR FIXTURES

5 MODELS

KDS-LL

LED linear fixtures: multi-angle, UGR<19, vertical up/down. 0-10V dim.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



KDS-LL4-40W-4FT-3CCT

SHADE Aluminum · Multi-Angle LED Linear
DIM 44.5" × 1.77" × 2.6"
LAMP LED · 3CCT · 0-10V Dimming · AC120-2
LED 30/40/50W · 3600-6000LM · 120lm/w ·



RDS-VL80-8FT-3CCT

SHADE Aluminum · Vertical Up/Down Linear
DIM 96" × 1.3" × 7.08"
LAMP LED · 3CCT · 0-10V Dimming
LED 60/80/100W · 6900-11300LM · 115lm/w



KDS-LLS-4FT-3CCT

SHADE Aluminum · UGR<19 LED Linear
DIM 4ft × 2.09" × 0.59"
LAMP LED · 3CCT · AC120-277V
LED Various · UGR<19 · ETL/FCC



Features

- <LED Linear Light(100lm/w)
- <Features
- <Isolated driver Flicker free
- <PF>0.95, Efficiency >75, THD<20%
- <Chain installation

L11 Series Specificat

Item No.	RDS-L11-35W-4FT
Input Power	35-watts
Luminous Flux	3500lm
Efficiency	100 lm/w

RDS-LI1-35W-4FT

SHADE Aluminum · Linear 100lm/w · Down
DIM 4ft · 1.96" × 2.74"
LAMP LED · 3000K/4000K/5000K · 0-10V Dimm
LED 35W · 3500LM · 100lm/w · ETL/FCC · A



RDS-VL40-4FT-3CCT

SHADE Aluminum · Vertical Up/Down Linear
DIM 48" × 1.3" × 7.08"
LAMP LED · 3CCT · 0-10V Dimming
LED 30/40/50W · 3400-5700LM · 115lm/w

LED PENDANT LIGHTS

4 MODELS

RDS-LS

LED pendant lights: T-bracket, triangle, hexagon, X-shape. 3CCT.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-LS-T

- SHADE Aluminum · T-Bracket Pendant
- DIM Various · 3CCT
- LAMP LED · AC120-277V · 0-10V Dimming
- LED Various · 5 Year Warranty



RDS-LS-TRI

- SHADE Aluminum · Triangle Pendant
- DIM Various · 3CCT
- LAMP LED · AC120-277V · 0-10V Dimming
- LED Various · 5 Year Warranty



RDS-LS-HEX

- SHADE Aluminum · Hexagon Pendant
- DIM Various · 3CCT
- LAMP LED · AC120-277V · 0-10V Dimming
- LED Various · 5 Year Warranty



RDS-LS-X

- SHADE Aluminum · X-Shape Pendant
- DIM Various · 3CCT
- LAMP LED · AC120-277V · 0-10V Dimming
- LED Various · 5 Year Warranty

ROUND LED LIGHTS

1 MODELS

RDS-RL

Round LED pendant lights. Custom sizes, 3CCT, AC120-277V.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-RL-ROUND

- SHADE Aluminum · Round LED Pendant
- DIM Various diameters · 3CCT
- LAMP LED · AC120-277V · 0-10V Dimming
- LED Various · Custom sizes available

KDS / RDS — LINEAR & COMMERCIAL

VAPOR TIGHT LED

05

4 MODELS

RDS-VT

Vapor tight LED IP66/IK10. 30–100W, 130lm/W. Motion sensor optional.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-VT60W-4FT-3CCT

- SHADE PC Housing · Vapor Tight · IP66/IK10
- DIM 48" × 4.33" × 3.46"
- LAMP LED · 3CCT · 0-10V Dimming · AC120-2
- LED 30/40/60W · 3900-7800LM · 130lm/w ·



RDS-VT100W-8FT-3CCT

- SHADE PC Housing · Vapor Tight · IP66/IK10
- DIM 96" × 4.33" × 3.46"
- LAMP LED · 3CCT · 0-10V Dimming · AC120-2
- LED 60/80/100W · 7800-13000LM · 130lm/w



RDS-VT60W-4FT

- SHADE PC Housing · Vapor Tight Single CCT
- DIM 48" × 4.33" × 3.46"
- LAMP LED · 4000K · 0-10V Dimming
- LED 60W · 7800LM · 130lm/w



RDS-VT100W-8FT

- SHADE PC Housing · Vapor Tight Single CCT
- DIM 96" × 4.33" × 3.46"
- LAMP LED · 4000K · 0-10V Dimming
- LED 100W · 13000LM · 130lm/w

KDS / RDS — LINEAR & COMMERCIAL

HIGH BAY VAPOR

3 MODELS

RDS-HV

High bay vapor LED IP66/IK10. 100–200W, 140lm/W. ETL/DLC.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-HV100W-4FT

- SHADE PC Housing · High Bay Vapor · IP66/I
- DIM 48" × 10.24" × 4.13" · Ceiling/Wall
- LAMP LED · 4000K/5000K · 0-10V Dimming
- LED 100W · 14000LM · 140lm/w · Motion Se



RDS-HV150W-4FT

- SHADE PC Housing · High Bay Vapor · IP66/I
- DIM 48" × 10.24" × 4.13" · Ceiling/Wall
- LAMP LED · 4000K/5000K · 0-10V Dimming
- LED 150W · 21000LM · 140lm/w · Motion Se



RDS-HV200W-4FT

- SHADE PC Housing · High Bay Vapor · IP66/I
- DIM 48" × 10.24" × 4.13" · Ceiling/Wall
- LAMP LED · 4000K/5000K · 0-10V Dimming
- LED 200W · 28000LM · 140lm/w · Motion Se

KDS / RDS — LINEAR & COMMERCIAL

LINEAR HIGH BAY

7 MODELS

RDS-HB

Linear high bay LED. 100–250W, 140lm/W. Microwave sensor optional.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-HB6-100W

SHADE Aluminum · Linear High Bay
DIM Various
LAMP LED · 3000K/4000K/5000K · 0-10V Dimm
LED 100W · 14000LM · 140lm/w



RDS-HB6-150W

SHADE Aluminum · Linear High Bay
DIM Various
LAMP LED · 3000K/4000K/5000K · 0-10V Dimm
LED 150W · 21000LM · 140lm/w



RDS-HB6-200W

SHADE Aluminum · Linear High Bay
DIM Various
LAMP LED · 3000K/4000K/5000K · 0-10V Dimm
LED 200W · 28000LM · 140lm/w



RDS-HB6-250W

SHADE Aluminum · Linear High Bay
DIM Various
LAMP LED · 3000K/4000K/5000K · 0-10V Dimm
LED 250W · 35000LM · 140lm/w



RDS-HB1-4FT

SHADE Aluminum · Linear High Bay Light
DIM 4ft
LAMP LED · 3CCT · 0-10V Dimming
LED Various · ETL/DLC/FCC



RDS-HB1-8FT

SHADE Aluminum · Linear High Bay Light
DIM 8ft
LAMP LED · 3CCT · 0-10V Dimming
LED Various · ETL/DLC/FCC



RDS-HB-LINEAR

SHADE Aluminum · Linear High Bay
DIM Various
LAMP LED · 3CCT · 0-10V Dimming · Microwa
LED Various · ETL/DLC

KDS / RDS — LINEAR & COMMERCIAL

LED TROFFER



RDS-TR

LED troffer 2×2 and 2×4. 36–56W, 125lm/W. Tunable CCT. AC120-277V.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-TR3650-4FT

RDS-TR42-4FT

RDS-TR50-4FT

RDS-TR2856-2FT

White · Black · Silver · 3000K / 4000K / 5000K · ETL / cETL / DLC / FCC · BUILT AT THE TOP.

KDS / RDS — LINEAR & COMMERCIAL

CYLINDER LED



RDS-C1

Cylinder LED surface, pendant and wall mount. 3CCT, 0-10V dimming.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-C1-45-3CCT

SHADE Aluminum · Cylinder LED · Surface/Pe

DIM Various

LAMP LED · 3CCT · 0-10V Dimming

LED Various · ETL/FCC

UFO HIGH BAY

3 MODELS

RDS-UFO

UFO high bay LED IP65. 100–200W, 140lm/W. 3CCT, 0-10V dimming.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-UFO-100W

SHADE Aluminum · UFO High Bay · IP65

DIM Ø340mm × 110mm

LAMP LED · 3000K/4000K/5000K · 0-10V Dimm

LED 100W · 14000LM · 140lm/w



RDS-UFO-150W

SHADE Aluminum · UFO High Bay · IP65

DIM Ø380mm × 110mm

LAMP LED · 3000K/4000K/5000K · 0-10V Dimm

LED 150W · 21000LM · 140lm/w



RDS-UFO-200W

SHADE Aluminum · UFO High Bay · IP65

DIM Ø420mm × 110mm

LAMP LED · 3000K/4000K/5000K · 0-10V Dimm

LED 200W · 28000LM · 140lm/w

WRAP LED FIXTURE



2 MODELS

RDS-WR

Wrap LED fixture 2ft–4ft. ETL/FCC. Easy surface/suspended mount.

SPECIFICATIONS

FINISHES	White · Black · Silver
COLOR TEMP	3000K / 4000K / 5000K
CERTIFICATION	ETL / cETL / DLC / FCC



RDS-WR-2FT

- SHADE Aluminum + PC · Wrap Fixture
- DIM 2ft · 3.15" × 2.17"
- LAMP LED SMD · 3CCT · 0-10V Dimming
- LED Various · ETL/FCC



RDS-WR-4FT

- SHADE Aluminum + PC · Wrap Fixture
- DIM 4ft · 3.15" × 2.17"
- LAMP LED SMD · 3CCT · 0-10V Dimming
- LED Various · ETL/FCC